ELSEVIER

Journal of Orthopaedic Research 23 (2005) I–IV

Journal of Orthopaedic Research

www.elsevier.com/locate/orthres

Volume 23, 2005

AUTHOR INDEX

Aamodt A, 1280
Aarnes GT, 494
Abdelmessieh P, 1004
Abrahamsson S, 1199
Ackermann PW, 294
Adachi N, 909
Agarwal S, 1165
Akkus O, 838, 1054
Algenstaedt P, 1073
Alini M, 1120
Allen WE, 680
Alonso JE, 359
Altman GH, 164
Alvarez AI, 1370
Amadio PC, 243, 249, 1226
Amanat N, 1029
Amis AA, 61
An K-N, 243, 249, 1226
Anaissie E, 1484
Anderson DD, 686
Anderson S, 384
Andía I, 281
Ando T, 964
Anitua E, 281
Arbuthnot J, 1399
Arimura T, 750
Arnoczky SP, 1211
Aro HT, 481
Aronsson DD, 188
Asada Y, 891
Asavamongkolkul A, 1460
Aspenberg P, 1266
Ateshian GA, 134
Athanasiou KA, 425, 1184
Athanasou NA, 511
Augat P, 489
Azofra J, 281

Baars DC, 1363
Baba H, 771
Baer GS, 1172
Bail HJ, 231, 639, 1022
Bailey AJ, 61
Baker G, 653
Baliko F, 1165
Ballock RT, 1139
Barnstorf S, 802
Barton ER, 259
Baumann B, 1241
Bear D, 1232
Beardsley CL, 686
Beason DP, 359
Beaulé PE, 1286
Beaupré GS, 345
Beck A, 489
Beck G, 1172
Beckman MJ, 942
Behnam K, 175, 618
Beingessner DM, 210
Belaney RM, 838, 1054
Belanger LM, 611
Belzile EL, 1100
Bennell K, 46
Bennell KL, 322
Bergström JS, 367
Bertazzo C, 1377
Besier TF, 345
Beynnon B, 315
Bigliani LU, 924
Bilston LE, 1029
Bishop AT, 181, 469
Bisland SK, 995
Blaine TA, 203
Bogaards A, 995
Böhling S, 1266
Boivin GP, 287
Bonifasi-Lista C, 67
Boorman RS, 18
Borthakur A, 102
Bottlang M, 1329
Bouchier-Hayes D, 542
Bourgeault CA, 816
Bowcock AM, 1490
Boyd BS, 764
Bragdon CR, 720
Bragg B, 501
Bragulla H, 1022
Bramono DS, 164
Bring DK-I, 294
Brochmann EJ, 175, 618
Brosh T, 877
Brown R, 1029
Brown TD, 686, 1321
Brown TE, 1100
Bruce W, 705
Brunelli G, 1377
Brunner R, 266
Bucchieri JS, 924
Burch JG, 446
Burch S, 995
Burstein D, 93
Buschmann MD, 1354
Butler DL, 287, 555
Byers S, 1336

Cahill RA, 1454
Calhoun JH, 27
Campbell P, 526
Canè V, 899
Carney DH, 196, 671
Carter DR, 663
Cavanaugh JM, 779
Cavani F, 899
Céleste C, 602
Chafik D, 1232
Chahine NO, 134
Chan PS, 1146
Chan YS, 440
Chandar N, 1345
Chang C-C, 462
Chang K, 1308
Chang S-S, 203, 1004
Chang WH-S, 1308
Chang Y-C, 569, 1293
Chao C-K, 788
Chao CCK, 440
Chao EYS, 795, 1091
Chen AC, 562
Chen C, 779
Chen CW, 446
Chen CY, 440
Chen J, 164
Chen M-H, 584
Chen R-M, 462
Chen SC, 440
Chen T-L, 462
Chen WH, 446
Chen X, 816
Chen Y-J, 970
Cheng C-C, 406
Chernoff H, 164
Chiang H, 584
Chiu KY, 41
Chiu W-T, 462
Chmielewski TL, 54
Cho SH, 1419
Chou M-C, 988
Chou S-W, 970
Christopherson GT, 869
Chu CR, 454
Chung J-G, 988
Chung W-S, 1004
Claes L, 489
Clark JM, 18
Clokie C, 653
Cohen SB, 1172
Cole BJ, 831
Comerford EJ, 61
Copelan N, 1286
Coronel P, 1370
Costa KD, 134
Coussens PM, 1146
Cowan SM, 322
Craig MR, 1100
Crossley K, 46
Crossley KM, 322
Crowe J, 542
Cui Y, 680
Curtiss S, 632

Dahlgren LA, 84
Dargel J, 1206
Darling EM, 425
Darowish M, 1258
Das P, 838
Deffenbaugh D, 18
DeFrate LE, 340, 977
Deklerck R, 698
de la Fuente M, 281
Delp SL, 345
de Mey J, 698
Deng WP, 446
Dennis JW, 653
Deol GS, 34
Deschner J, 1165
Dhawan R, 1315
Diao E, 218
Díaz-Gallego L, 1370
Diduch DR, 1172
Diehl P, 802
Dillon JP, 1454
Dimaano N, 1091
Dimock A, 188
Ding M, 824
DiPaola CP, 1112
Divine GW, 869
Dobbs MB, 1490
Dodge GR, 102
Doehring T, 1035
Doi K, 181
Dooley PC, 499
Dorey FJ, 1286
Doty SB, 671
Dougall WC, 1475
Dovan TT, 916
Drahn T, 392
Draper CE, 345
Dressler MR, 287
Duarte MEL, 175
Duda GN, 639, 726, 1022
Dudhia J, 156
Dudkiewicz I, 877
Duncan CP, 9, 1271
Dunning CE, 210
Durbhakula MM, 1383
Duronio V, 1219
Dutton CM, 1467
Dynybil C, 1425

Eagleton AC, 1
Eastell R, 1, 520
Eberhardt AW, 359
Edwards III RB, 831
Ehmke LW, 1329
Ehrig RM, 726
Ekman S, 156
Elliott DM, 150
Eloranta M-L, 156
Elsaidi GA, 302
Engh CA, 713
Epari DR, 1022
Epstein NJ, 501
Estok II DM, 720
Etheridge BS, 359
Eulert J, 1241
Evans CH, 118
Evans PJ, 1315
Exner GU, 1065
Ezzat S, 397

Falch JA, 1280
Fang CL, 446
Fang TD, 663
Farmer JC, 1112

Farnum CE, 188
Favre P, 1065
Ferrari R, 224, 1105
Ferretti M, 1165
Ferris EJ, 1484
Fini M, 899
Finkelstein JA, 995
Fitzpatrick DC, 1329
Flatow EL, 924
Fong KD, 663
Forsgren S, 757
Foster BK, 1336
Francomano CA, 433
Frank C, 1404, 1411
Frank CB, 1191
Frassica FJ, 795, 1091
Frei H, 9, 1271
Friedrich PF, 469
Frisbie DD, 118
Fritz EA, 1249
Furushiro Y, 549
Fyhrie DP, 869

Galatz LM, 1441
Gallagher PM, 542
Gamazo LE, 1370
Gamradt SC, 1475
Gan J, 764
Gassner R, 1165
George WT, 1047
Gerber C, 254
Gerdesmeyer L, 802, 931
Gerlach S, 351
Gersch RP, 882
Ghivizzani S, 118
Giardino R, 899
Giavaresi G, 899
Gibbs KM, 18
Gill TJ, 340, 977
Gillies RM, 705
Gimbel JA, 259
Gimeno M, 1370
Glant T, 384
Glant TT, 1249
Gold GE, 345
Goldberg VM, 376
Goldstein SA, 494
Gollwitzer H, 802
Goodman SB, 501
Gordon JE, 1490
Gordon KD, 210
Goto A, 750
Grabiner MD, 1035
Grant P, 1280
Gray ML, 93
Green JK, 1315
Greene ME, 720
Greenfield EM, 376
Grills BL, 499
Grimson WE, 93
Grood ES, 958
Guilak F, 576
Gupta R, 1232
Gurnett CA, 1490
Gushue DL, 735
Gwadera J, 188

Haas NP, 231
Habata T, 1179
Hadjiargyrou M, 882
Hagert E, 757
Hak DJ, 632
Hallab NJ, 384
Halpern JL, 916
Hamada Y, 964
Hamer AJ, 1, 520
Hamming D, 916
Han B, 855
Hansen E, 1300
Hansen-Algenstaedt N, 1073
Hara Y, 412
Haridas B, 555
Haro H, 412
Harris WH, 720
Hatcher A, 1399
Hatcher J, 1399
Hattori K, 1179
Haupt JL, 118, 1152
Haut RC, 1146, 1363
Havlioglu N, 1441
Hazelwood SJ, 632
Hegarty S, 542
Heidgren M-L, 294
Heinegård D, 156
Heller MO, 726
Henderson JE, 1354
Hering TM, 1383
Herzog W, 1404, 1411
Hessmann MH, 846
Hicks DG, 1139
Higuera CA, 1091
Hills RL, 611
Hinman RS, 322
Hirsch BE, 743
Ho S, 713
Hodges P, 46
Hodges PW, 351
Hoemann CD, 1354
Hofmann A, 846, 931
Holt GE, 916
Hongeng S, 1460
Hooten WM, 1495
Horn J, 810
Horton Jr. WE, 1128
Hou S-M, 788
Houck J, 735
Howe R, 93
Howell SM, 77, 327
Howgate ML, 499
Hsieh S-P, 569
Hsu C-C, 788, 970
Hsu RW-W, 406
Hu D, 1300
Huabprasert S, 1460
Huang C-Y, 924
Huang G-S, 569
Huang JI, 1383
Huang S, 1308
Huang T-J, 406
Huang Y-Y, 584
Huijing PA, 266
Huiskes R, 494
Hull ML, 77, 327, 1390
Hung CT, 134, 1232
Hunter SA, 555
Hutchinson B, 1419

Iatridis JC, 1120
Ibiwoye MO, 1035
Ichikawa J, 964
Iesaka K, 549
Igarashi T, 420
Ikeuchi K, 1179
Imhauser CW, 743
Innes JF, 61
Inoue N, 795, 1091
Ionescu M, 602
Ishida O, 909
Ishiko T, 1448
Ito K, 810
Ito M, 979
Ito Y, 979
Itohara T, 1160
Itonaga I, 511

Jacob HAC, 1065
Jacobs JJ, 384, 1249
Jakob F, 1241
Janssen D, 691
Jaspers RT, 266
Jean Y-H, 569
Jiang C-C, 584
Jiranek W, 942
Johnson JA, 210
Johnson JC, 1191
Johnson KA, 61
Johnson T, 536
Johnstone B, 1383
Johnstone EW, 1336
Jones-Jackson L, 1484
Jordan G, 1013
Joscheck C, 1073

Kadoya Y, 334
Kajiwara R, 909
Kaliszer M, 542
Kallakuri S, 779
Kambic HE, 142
Kaplan DL, 164
Karchin A, 77
Kassi JP, 1022
Kato T, 412
Katsube K, 469
Kawamura S, 1425
Kawano M, 979
Kawasaki K, 909
Kazmi N, 1383
Kearns S, 310
Keinan-Adamsky K, 109
Kelley S, 1315
Kelly C, 310
Kelly T-AN, 134
Khan KM, 1219
Kidder LS, 816
Kikuchi S, 420
Kim H-J, 1425
Kim W, 203
King GJW, 210
King KB, 1199
Kingston R, 310
Kneeland JB, 102
Kobayashi S, 771
Koebke J, 1206
Koh M, 1419
Koike Y, 1433
Kold S, 824
Kolman K, 1345
Komada H, 979
Koman LA, 302
Komatsu T, 334
Komori H, 412
Konrad L, 846
Konradsen L, 315
Korner J, 846
Korvick DL, 18
Kramer A, 127
Kreicbergs A, 294
Krettek C, 810
Krieg JC, 1329
Krocker D, 392
Küchle R, 846
Kudo O, 511
Kumar S, 224, 1105
Kuo T-F, 584
Kurokawa Y, 181
Kurtz SM, 367
Kutsumi K, 243, 249
Kwan MFY, 41
Kwon MS, 1100

Lai WF, 446
Laing AJ, 1454
Lake SP, 67
Lane JM, 671
Lavagnino M, 1211
Laverty D, 1128
Laverty S, 602
Lee B, 1419
Lee CA, 302
Lee CR, 1120
Lee FY-I, 203, 1004
Lee H-J, 1004
Lee H-S, 569, 584
Lee HS, 949
Lee MS, 440
Lee TC, 475
Leo BM, 1172
Leonard TR, 1411
Lerner AL, 735
Les CM, 869
Leung SB, 713
Leven RM, 646
Levine WN, 924
Levy MS, 555, 958
Lew WD, 816
Li G, 196, 340, 536, 625, 680, 977, 1013
Li X, 671
Li Y-Y, 406
Liao TS, 203
Liebenberg E, 218
Lieberman JR, 1475
Lienau J, 639
Lim JS, 1091
Lin J, 788
Lin M-C, 584
Little DG, 862, 1029
Liu J, 743
Ljung B-O, 757
Loboa EG, 663
Lombardo F, 882
Longaker MT, 663
Longino D, 1404, 1411
Longinotti C, 1377
Lotz JC, 218
Lu C, 1300
Lu E, 949
Lu K-H, 988
Lu Y, 779
Ludvigsen P, 494
Lue K-H, 988
Lunn JV, 542

Ma J, 302
Ma T, 501
MacGregor K, 351
MacLean JJ, 1120
Madanat R, 481
Mader JT, 27
Madey SM, 1329
Magnussen RA, 576
Mäkinen TJ, 481
Makino T, 632
Malchau H, 720
Manova K, 1112

Mar Zalduendo Md, 281
Marchuk LL, 1191
Marcucio RS, 1300
Markel MD, 831
Marks P, 397
Marsh D, 1013
Marsh JL, 686
Martell JM, 720
Martin S, 93
Maruyama M, 891
Maser RV, 1191
Masri BA, 9, 1271
Masumoto J, 750
Matsen III FA, 18
Mattila KT, 481
Matziolis G, 392
Mauck RL, 134
Mc Guinness A, 1454
McBurney D, 1128
McCaffery JM, 433
McDevitt CA, 142
McDonald M, 862
McEvoy T, 862
McGovern SC, 882
McGowan KB, 594
McILmurray L, 625, 680
McIlwraith CW, 118
McKee MD, 1354
McLaren SG, 1484
McNicholas M, 1399
McQuaid S, 1013
Melcher I, 231
Mellor R, 351
Meurer A, 931
Meyer DC, 254
Miceli M, 1484
Miclau T, 1300
Midura RJ, 1035
Milošev I, 526
Mitchell P, 9
Mittelmeier W, 802
Mittlmeier T, 231
Miyamoto N, 979
Mizner RL, 1083
Modafferi E, 1232
Mohammed HO, 84
Morcuende JA, 1490
Moreau JE, 164
Mori K, 979
Moritomo H, 750
Moritz N, 481
Moriyama S, 1448
Morris EA, 611
Morris P, 705
Most E, 536
Motamedi K, 1286
Mow VC, 924
Muchow S, 639
Müller G, 127
Mungo DM, 1496
Murakami K, 203
Muramatsu K, 181
Murase T, 750
Murnaghan M, 625
Murray P, 310, 542
Murray SS, 175, 618
Mushipe MT, 625
Myers RR, 420

Nafe B, 931
Nagao M, 795
Naito M, 1448
Nakagawa S, 334
Nakajima Y, 1160
Nakama LH, 1199
Nakao A, 964
Nalepka JL, 376
Narayan Y, 224, 1105
Nasser S, 1059
Navon G, 109
Negoro K, 771
Nelson CL, 1484
Neu CP, 327, 1390
Ng KW, 134
Ng TP, 41
Nielsen JK, 1321
Nilsson G, 156
Nimni M, 855
Nishimura M, 979
Nishio M, 979
Niswander LA, 1112
Nixon AJ, 84, 118, 1152
Nordsletten L, 1280
Norman AG, 18
Nöth U, 1241
Noyes FR, 555, 958
Nurden AT, 281
Nurden P, 281

Obray JB, 1495
O'Brien FJ, 475
O'Brien GC, 1454
O'Connell J, 1271
Ochi M, 909
Ochi T, 750
Odhner D, 743
Oh J, 1226
Ohgushi H, 1179
Ohmura S, 891
Ohno I, 1160
Oka K, 750
Okamoto A, 964
O'Keefe RJ, 1258
Okereke E, 743
Orth MW, 1146
Ott SM, 18
Overgaard S, 824
Oxland TR, 9, 1271

Pagura SMC, 397
Pang J-HS, 970
Pangborn CA, 1184
Papannagari R, 536
Parisien MV, 203
Park HB, 1419
Park SE, 536
Parker DW, 663
Parsons IV IM, 18
Partridge E, 653
Patterson TE, 1035
Patwardhan A, 779
Paul Sung KL, 949
Pavesio A, 1377
Pawluk RJ, 924
Peat R, 862
Peel NFA, 1
Pellegrini Jr. VD, 34
Perelman M, 877
Perka C, 392
Peura G, 315
Pfirrmann CWA, 254
Phillips DM, 1363
Phillips ML, 175
Piesco N, 1165
Pirkl C, 254
Pišot V, 526
Poelstra KA, 1100
Poole AR, 602
Potter HG, 713
Powell KA, 1035
Pressato D, 1377
Prieto JG, 1370
Purnell G, 1484
Puttlitz C, 764, 1300
Pylawka TK, 831

Qian J, 942
Qin C, 949
Qiu J, 942

Rader CP, 1241
Rahbek O, 824
Ramseier LE, 1065
Ramsey DK, 54
Ramshaw JAM, 584
Reddi AH, 632
Reddy R, 102
Redmond HP, 1454
Rempel D, 218
Rempel DM, 1199
Renström P, 315
Reynolds S, 949
Richmond JC, 164
Riede UN, 266
Rimnac CM, 367, 376
Ringleb SI, 743
Rittenberg B, 653
Roach N, 743
Robarge J, 1490
Robbins PD, 118
Rodeo SA, 1425
Roebuck KA, 1249
Rolf O, 1241
Rommens PM, 846
Rompe JD, 846, 931
Roos PJ, 327
Rosa GJM, 1146
Rothermich SY, 1441
Rubash HE, 340, 536, 977
Rumi MN, 34
Rundell SA, 1363
Rushing JT, 302
Rüther W, 1073, 1266
Ryaby JT, 196, 671

Sabokbar A, 511
Sah RL, 562, 594
Sakai Y, 1035
Salai M, 877
Salter R, 1165
Saltzman CL, 1321
Samosky JT, 93
Sanchez M, 281
Sandgren B, 156
Sangsuriyong S, 1460
Sant'Anna EF, 646
Sarver JJ, 150
Sato Y, 1160
Sawatari T, 549
Schaefer C, 1073
Schaser K-D, 231
Scheerlinck T, 698
Schell H, 639, 726, 1022
Schewior L, 231
Schlegel U, 810
Schlueter AE, 1146
Schmidt AH, 816
Schmidt J, 1206
Schmidt TA, 562
Schmidt-Wiethoff R, 1206
Schröder JH, 392
Schroeder M, 1073
Schuijers JA, 499
Schumacher BL, 562
Schumacher HR, 102
Schwartz HS, 916
Schwarz EM, 1258, 1475
Scott A, 1219
Scully SP, 1467
Seebeck P, 639, 726
Sekel R, 705
Semevolos SA, 1152
Setti S, 899
Seufert J, 1241
Shao F, 218
Shao YY, 1139
Sharpe IT, 862
She B-R, 584
Shearn JT, 958
Shefelbine SJ, 489
Shen J, 302
Sherrell JC, 1100
Shieh C-S, 584
Shih C, 1308
Shih H-N, 1293
Shih L-Y, 1293
Shih SN, 446
Shimada S, 771
Shimizu N, 1160
Shinar H, 109
Shinomiya K, 412
Shirley D, 1013
Shrive NG, 1191
Sidles JA, 18
Siegler S, 743
Silva JDP, 175
Silva MJ, 1441
Simari RD, 469
Singapuri KP, 34
Skinner RA, 1484
Skiöldebrand E, 156
Skripitz R, 1266
Small MS, 67
Smeltzer MS, 1484
Smith BP, 302
Smith J, 949
Smith RL, 501
Smith TL, 302
Snyder-Mackler L, 54, 1083
Søballe K, 824
Soloviev A, 1258
Soslowsky LJ, 259
Spanogle J, 501
Sparks DR, 359
Spencer RGS, 433
Spengler DM, 412
Srinivasan A, 1165
Stafford T, 384
Steen H, 494
Steinhauser E, 802
Stemberger A, 802
Stevens CM, 27
Stillman B, 46
Stockley I, 1, 520
Stokes IA, 188
Stolk J, 691
Stover JF, 231
Strassheim ML, 1152
Street JT, 1454
Studer RK, 454
Sugamoto K, 750, 1160
Sugiki M, 891
Summer B, 802
Sumner DR, 646
Sun SG, 511

Sun Y-C, 274
Sung T-H, 1293
Suratwala S, 1004
Suva LJ, 1484
Swindle J, 1345
Sychterz CJ, 713
Szajkovics A, 1345

Tagawa M, 412
Tajima T, 891
Takakura Y, 1179
Takaoka K, 334
Takeno K, 771
Taki N, 376
Tamura S, 750
Tan KH, 302
Tanaka H, 1160
Tanaka T, 249
Tanamal L, 536
Tang F-T, 970
Tang WM, 41
Tarlton JF, 61
Tarr S, 1139
Tasaka K, 964
Tatro JM, 376
Taylor D, 475
Taylor WR, 726
Tenenbaum HC, 653
Teng A, 949
Tetsworth KD, 27
Thomas BJ, 1336
Thomas JR, 1484
Thomas P, 802
Thomas SG, 397
Thomopoulos S, 1441
Thornton GM, 1191
Titelman RM, 18
Toft M, 824
Togawa D, 376
Tomin E, 671
Tomitaka Y, 891
Topp KS, 764
Torisu T, 549
Torricelli P, 899
Tran-Khanh N, 1354
Trudel G, 1433
Truong L, 1232
Tsai C-C, 584
Tsai W-C, 970
Tsai YH, 446
Tsai Y-T, 788
Tsui K, 1300
Tsukayama DT, 816
Tsumura H, 549
Tsurudome M, 979
Tu YK, 440
Tuan RS, 584
Tuischer J, 392
Turner AS, 869
Turner AWL, 705
Turner MA, 1172

Uchida A, 979
Uchida K, 771
Udupa JK, 743
Uematsu K, 1179
Ueng SWN, 440
Uhthoff HK, 1433

Vail TP, 576
Vance JL, 869
VandeVord PJ, 1059
Vashishth D, 1047
Vaz MA, 1411
Verdonschot N, 691
Villarreal F, 949
Virdi AS, 646, 831
Virolainen P, 795
Voegtline MS, 562
Volloch V, 164
Vunjak-Novakovic G, 164

Waanders NA, 494
Waikakul S, 1460
Walde TA, 713
Walker FO, 302
Walker R, 1484
Walsh WR, 705
Walton JH, 1390
Wang CC-B, 134
Wang C-J, 274
Wang F-S, 274
Wang H, 196, 671, 680
Wang JH, 1454
Wang J-L, 788
Wang L, 1139
Wang VM, 924
Warme BA, 501
Warren SM, 663
Webster DA, 1315
Wee E, 46
Weiland DE, 713
Weiner S, 1128
Weingarten TN, 1495
Weiss JA, 67
Wen Z-H, 569
Weng L-H, 274
Werkmeister JA, 584
Werner CML, 1065
Werner FW, 1315
Whang PG, 1475
Wheaton AJ, 102
Whyne CM, 995
Wilkinson JM, 1, 520
Williams GR, 259
Williams JM, 831
Williams P, 862
Wilson BC, 995
Winchester RJ, 203
Wold LE, 1226
Wolfman A, 1035
Wolfram L, 1073
Wong C-S, 569
Wongkajornsilp A, 1460
Woodhouse LJ, 397
Wooley PH, 1059

Yabuki S, 420
Yagi R, 1128
Yamada S, 771
Yamashita A, 891
Yang J, 1004
Yang KD, 274
Yang Y-J, 274
Yang Z, 855
Yasunaga Y, 909
Yau WP, 41
Yayama T, 771
Yee AJM, 995
Yeh WL, 440
Ying L, 1425
Ylä-Herttuala S, 469
Yoo JU, 1383
Yoshida E, 891
Yoshida G, 334
Yoshikawa H, 750, 1160
Yoshizawa H, 771
You-Xin S, 181
Yu J, 1004
Yuan J, 1467
Yuasa K, 979
Yurgelun MB, 203

Zaegel M, 1441
Zanetti M, 254
Zaragoza E, 1286
Zborowski M, 1035
Zhang H-Z, 203
Zhang R, 1091
Zhang Z, 433
Zhao C, 243, 249, 1226
Zhou D, 949
Zobitz ME, 243, 249, 1226
Zohar R, 653

ELSEVIER

Journal of Orthopaedic Research 23 (2005) V–XXIV

Journal of Orthopaedic Research

www.elsevier.com/locate/orthres

Volume 23, 2005

SUBJECT INDEX

Acceleration
Effect of trunk flexion on cervical muscle EMG to rear impacts, 1105
Turning away from whiplash. An EMG study of head rotation in whiplash impact, 224

Accumulation
The effect of bone microstructure on the initiation and growth of microcracks, 475

Accuracy
Accuracy and precision of radiostereometric analysis in the measurement of three-dimensional micromotion in a fracture model of the distal radius, 481

Acetabular fractures
Contact pressures in the flexed hip joint during lateral trochanteric loading, 359

Acetabular labrum
Tensile properties of the human acetabular labrum—the first report, 1448

Achilles tendon
IGF-I activates PKB and prevents anoxic apoptosis in Achilles tendon cells, 1219
Increase in sensory neuropeptides surrounding the Achilles tendon in rats with adjuvant arthritis, 294

ACL
An investigation to examine the inter-tester and intra-tester reliability of the Rolimeter® knee tester, and its sensitivity in identifying knee joint laxity, 1399
Differential MMP-2 activity of ligament cells under mechanical stretch injury: An in vitro study on human ACL and MCL fibroblasts, 949
Mapping the rat somatosensory pathway from the anterior cruciate ligament nerve endings to the cerebrum, 1419

ACL reconstruction
Histomorphology and microradiography of quadriceps tendon–patellar bone grafts in press-fit anterior cruciate ligament reconstruction, 1206

ACT
Novel ultrasonic evaluation of tissue-engineered cartilage for large osteochondral defects—non-invasive judgment of tissue-engineered cartilage, 1179

Adaptation
Healing of the aponeurosis during recovery from aponeurotomy: morphological and histological adaptation and related changes in mechanical properties, 266

Adenosine
Pulsed electromagnetic fields reduce knee osteoarthritic lesion progression in the aged Dunkin Hartley guinea pig, 899

Adenosine agonist
An adenosine A_{2A} receptor agonist reduces interleukin-8 expression and glycosaminoglycan loss following septic arthrosis, 1172

Adhesion prevention
Adhesion reduction after knee surgery in a rabbit model by Hyaloglide®, a hyaluronan derivative gel, 1377

Adipose tissue
Chondrogenic potential of progenitor cells derived from human bone marrow and adipose tissue: A patient-matched comparison, 1383

Afferent pathway
Mapping the rat somatosensory pathway from the anterior cruciate ligament nerve endings to the cerebrum, 1419

Agarose
A layered agarose approach to fabricate depth-dependent inhomogeneity in chondrocyte-seeded constructs, 134

Age-related (aging)
Effects of age on the repair ability of mesenchymal stem cells in rabbit tendon, 287

Ageing
Age-related changes in electromyographic quadriceps activity during stair descent, 322
Aged bovine chondrocytes display a diminished capacity to produce a collagen-rich, mechanically functional cartilage extracellular matrix, 1354

Aging
Bone morphogenetic protein 9 is a potent anabolic factor for juvenile bovine cartilage, but not adult cartilage, 611
Cellular basis for age-related changes in fracture repair, 1300

Allergy
Lymphocyte responses in patients with total hip arthroplasty, 384

Allograft
Meniscal material properties are minimally affected by matrix stabilization using glutaraldehyde and glycation with ribose, 555
Prolonged-fresh preservation of intact whole canine femoral condyles for the potential use as osteochondral allografts, 831

Alpha angle and labral tears
Three-dimensional computed tomography of the hip in the assessment of femoro-acetabular impingement, 1286

Angiogenesis
Femur window—a new approach to microcirculation of living bone in situ, 1073
Thrombin peptide (TP508) promotes fracture repair by up-regulating inflammatory mediators, early growth factors, and increasing angiogenesis, 671
Vascular endothelial growth factor (VEGF) gene transfer enhances surgical revascularization of necrotic bone, 469

Animal model
A novel total knee arthroplasty infection model in rabbits, 1100
Carpal tunnel pressure alters median nerve function in a dose-dependent manner: a rabbit model for carpal tunnel syndrome, 218

Ankle
Ankle eversion torque response to sudden ankle inversion. Torque response in unbraced, braced, and pre-activated situations, 315
The effect of ankle ligament damage and surgical reconstructions on the mechanics of the ankle and subtalar joints revealed by three-dimensional stress MRI, 743

Anoxia
IGF-I activates PKB and prevents anoxic apoptosis in Achilles tendon cells, 1219

Anterior
A new tibial coordinate system improves the precision of anterior–posterior knee laxity measurements: a cadaveric study using Roentgen stereophotogrammetric analysis, 327

Anterior cruciate ligament
Acute botulinum toxin-induced muscle weakness in the anterior cruciate ligament-deficient rabbit, 1404
In vivo kinematics of the ACL during weight-bearing knee flexion, 340

Increased concentrations of neuro-excitatory amino acids in rat anterior cruciate ligament-transected knee joint dialysates: a microdialysis study, 569
Movement of the posterior cruciate ligament during knee flexion—MRI analysis, 334

Antibiotic
Characterization of a chronic infection in an internally-stabilized segmental defect in the rat femur, 816

Antibiotic-impregnated bone cement
An articulated antibiotic spacer used for infected total knee arthroplasty: a comparative in vitro elution study of Simplex® and Palacos® bone cements, 27

Antigens
Immunological responses to bone soluble proteins in recipients of bone allografts, 1059

Aponeurosis
Healing of the aponeurosis during recovery from aponeurotomy: morphological and histological adaptation and related changes in mechanical properties, 266

Aponeurotomy
Healing of the aponeurosis during recovery from aponeurotomy: morphological and histological adaptation and related changes in mechanical properties, 266

Apoptosis
Apoptosis and nitric oxide in an experimental model of osteoarthritis in rabbit after hyaluronic acid treatment, 1370
Gemcitabine inhibits viability, growth, and metastasis of osteosarcoma cell lines, 964
Growth and integration of neocartilage with native cartilage in vitro, 433
IGF-I activates PKB and prevents anoxic apoptosis in Achilles tendon cells, 1219
Inhibition of nitric oxide can ameliorate apoptosis and modulate matrix protein gene expression in bacteria infected chondrocytes in vitro, 440
Molecular mechanism of nitric oxide-induced osteoblast apoptosis, 462
Paclitaxel induces apoptosis via caspase-3 activation in human osteogenic sarcoma cells (U-2 OS), 988
Zoledronate induces apoptosis in cells from fibro-cellular membrane of unicameral bone cyst (UBC), 1004

Arthritic human chondrocytes
p38 MAPK and COX2 inhibition modulate human chondrocyte response to TGF-β, 454

Arthrofibrosis
Adhesion reduction after knee surgery in a rabbit model by Hyaloglide®, a hyaluronan derivative gel, 1377

Arthroplasty
Sagittal bowing of the distal femur in Chinese patients who require total knee arthroplasty, 41
Simultaneous labeling of mast cell proteases and protease mRNAs at the bone–implant interface of aseptically loosened hip implants, 942
The role of hereditary hemochromatosis in aseptic loosening following primary total hip arthroplasty, 542

Articular cartilage
A layered agarose approach to fabricate depth-dependent inhomogeneity in chondrocyte-seeded constructs, 134
Apoptosis and nitric oxide in an experimental model of osteoarthritis in rabbit after hyaluronic acid treatment, 1370
Effect of selected wound antiseptics on adult articular cartilage (bovine sesamoid bone) in the presence of *Escherichia coli* and *Staphylococcus aureus*, 127
Gene expression profile of mechanically impacted bovine articular cartilage explants, 1146
Hemoglobin stimulates the expression of matrix metalloproteinases, MMP-2 and MMP-9 by synovial cells: a possible cause of joint damage after intra-articular hemorrhage, 891
Heterogeneous three-dimensional strain fields during unconfined cyclic compression in bovine articular cartilage explants, 1390
Rapid phenotypic changes in passaged articular chondrocyte subpopulations, 425
The effect of detachment of the articular cartilage from its calcified zone on the cartilage microstructure, assessed by ^{2}H-spectroscopic double quantum filtered MRI, 109

Aseptic loosening
Arthroplasty membrane-derived fibroblasts directly induce osteoclast formation and osteolysis in aseptic loosening, 511
The role of hereditary hemochromatosis in aseptic loosening following primary total hip arthroplasty, 542
Three-dimensional finite element analysis of unicompartmental knee arthroplasty—the influence of tibial component inclination, 549

Atrophy
Rat supraspinatus muscle atrophy after tendon detachment, 259

Autologous chondrocyte transplantation
Repair of porcine articular cartilage defect with autologous chondrocyte transplantation, 584

Avascular necrosis
Vascular endothelial growth factor (VEGF) gene transfer enhances surgical revascularization of necrotic bone, 469

Axial compression
Mechanical differences between lumbar and tail discs in the mouse, 150

Bacterial infection
Inhibition of nitric oxide can ameliorate apoptosis and modulate matrix protein gene expression in bacteria infected chondrocytes in vitro, 440

Barrier
The effect of bone microstructure on the initiation and growth of microcracks, 475

Bcl-2
Intrajoint comparisons of gene expression patterns in human osteoarthritis suggest a change in chondrocyte phenotype, 1128

Bcl-2 protein
Molecular mechanism of nitric oxide-induced osteoblast apoptosis, 462

Benign bone tumor
Zoledronate induces apoptosis in cells from fibro-cellular membrane of unicameral bone cyst (UBC), 1004

Biochemical markers
Effect of pamidronate on bone turnover and implant migration after total hip arthroplasty: a randomized trial, 1

Biomarkers
Repeated intraarticular injections of triamcinolone acetonide alter cartilage matrix metabolism measured by biomarkers in synovial fluid, 602

Biomaterial infection
A novel total knee arthroplasty infection model in rabbits, 1100

Biomechanical
Free radical scavenging alleviates the biomechanical impairment of gamma radiation sterilized bone tissue, 838

Biomechanical assessment of healing
In vivo assessment of regenerate axial stiffness in distraction osteogenesis, 494

Biomechanical test
Time for treating bone fracture using rhBMP-2: A randomised placebo controlled mouse fracture trial, 625

Biomechanical testing
A single systemic dose of pamidronate improves bone mineral content and accelerates restoration of strength in a rat model of fracture repair, 1029

Biomechanics
Aged bovine chondrocytes display a diminished capacity to produce a collagen-rich, mechanically functional cartilage extracellular matrix, 1354
Effects of age on the repair ability of mesenchymal stem cells in rabbit tendon, 287
Gliding resistance of the extensor pollicis brevis tendon and abductor pollicis longus tendon within the first dorsal compartment in fixed wrist positions, 243
Modulation of vertebral and tibial growth by compression loading: diurnal versus full-time loading, 188
Rabbit knee joint biomechanics: Motion analysis and modeling of forces during hopping, 735
The course of bone healing is influenced by the initial shear fixation stability, 1022

The effect of radial head fracture size on elbow kinematics and stability, 210
Treatment of cartilage with β-aminopropionitrile accelerates subsequent collagen maturation and modulates integrative repair, 594

Bioreactor
Evolution of an in vivo bioreactor, 916

Bisphosphonate
Zoledronate induces apoptosis in cells from fibro-cellular membrane of unicameral bone cyst (UBC), 1004

Bisphosphonates
A single systemic dose of pamidronate improves bone mineral content and accelerates restoration of strength in a rat model of fracture repair, 1029
Zoledronic acid improves femoral head sphericity in a rat model of perthes disease, 862

Blood supply
Initial vascularization and tissue differentiation are influenced by fixation stability, 639

BMD
Differences in stability and bone remodeling between a customized uncemented hydroxyapatite coated and a standard cemented femoral stem A randomized study with use of radiostereometry and bone densitometry, 1280

BMP inhibitor
Molecular signaling in intervertebral disk development, 1112

BMP-2
Effect of low intensity pulsed ultrasound and BMP-2 on rat bone marrow stromal cell gene expression, 646
Evolution of an in vivo bioreactor, 916

BMP-7
Prevention of atrophic nonunion development by recombinant human bone morphogenetic protein-7, 632

Bonding strength
Biomechanical and allergological characteristics of a biodegradable poly(D,L-lactic acid) coating for orthopaedic implants, 802

Bone
Interfragmentary surface area as an index of comminution severity in cortical bone impact, 686
Modulation of vertebral and tibial growth by compression loading: diurnal versus full-time loading, 188

Bone allograft
Immunological responses to bone soluble proteins in recipients of bone allografts, 1059
Tendon reattachment to a metallic implant using an allogenic bone plate augmented with rhOP-1 vs. autogenous cancellous bone and marrow in a canine model, 1091
The influence of bone allograft processing on osteoblast attachment and function, 846

Bone and soft tissue tumor
The effect of multidrug chemotherapy on bone graft augmented prosthesis fixation, 795

Bone consolidation
Bone formation is enhanced by thrombin-related peptide TP508 during distraction osteogenesis, 196

Bone density
Healing of reamed glenoid bone articulating with a metal humeral hemiarthroplasty: a canine model, 18

Bone graft
Free radical scavenging alleviates the biomechanical impairment of gamma radiation sterilized bone tissue, 838
Sterilization by gamma radiation impairs the tensile fatigue life of cortical bone by two orders of magnitude, 1054

Bone graft substitute
Evolution of an in vivo bioreactor, 916

Bone healing
The course of bone healing is influenced by the initial shear fixation stability, 1022

Bone histology
Initial vascularization and tissue differentiation are influenced by fixation stability, 639

Bone ingrowth
Restoration of bone defect and enhancement of bone ingrowth using partially demineralized bone matrix and marrow stromal cells, 1293

Bone loss
Delayed repair of tendon to bone injuries leads to decreased biomechanical properties and bone loss, 1441

Bone lysis
Characterization of a chronic infection in an internally-stabilized segmental defect in the rat femur, 816

Bone marrow
Chondrogenic potential of progenitor cells derived from human bone marrow and adipose tissue: A patient-matched comparison, 1383

Bone metastasis
The effects of RANK blockade and osteoclast depletion in a model of pure osteoblastic prostate cancer metastasis in bone, 1475

Bone mineral density
Computational bone remodelling simulations and comparisons with DEXA results, 705
Effect of pamidronate on bone turnover and implant migration after total hip arthroplasty: a randomized trial, 1

Bone morphogenetic proteins
Bone morphogenetic protein 9 is a potent anabolic factor for juvenile bovine cartilage, but not adult cartilage, 611
Relationship of bone morphogenetic protein expression during osteoblast differentiation to wild type p53, 1345

Bone positions
On the influence of soft tissue coverage in the determination of bone kinematics using skin markers, 726

Bone regeneration
Reactivation of Hox gene expression during bone regeneration, 882
Restoration of bone defect and enhancement of bone ingrowth using partially demineralized bone matrix and marrow stromal cells, 1293

Bone remodelling
Computational bone remodelling simulations and comparisons with DEXA results, 705

Bone resorption
Arthroplasty membrane-derived fibroblasts directly induce osteoclast formation and osteolysis in aseptic loosening, 511

Botulinum toxin
Gene expression of nAChR, SNAP-25 and GAP-43 in skeletal muscles following botulinum toxin A injection: a study in rats, 302

Boundary lubrication
Proteoglycan 4 (PRG4) synthesis and immunolocalization in bovine meniscus, 562

Bowing
Sagittal bowing of the distal femur in Chinese patients who require total knee arthroplasty, 41

Brace
Ankle eversion torque response to sudden ankle inversion. Torque response in unbraced, braced, and pre-activated situations, 315

Breast cancer
Photodynamic therapy for the treatment of vertebral metastases in a rat model of human breast carcinoma, 995

C282Y gene
The role of hereditary hemochromatosis in aseptic loosening following primary total hip arthroplasty, 542

Cadaver
Magnetic resonance imaging in the evaluation of periprosthetic acetabular osteolysis: A cadaveric study, 713

Cancellous bone stress
Three-dimensional finite element analysis of unicompartmental knee arthroplasty—the influence of tibial component inclination, 549

Canine
Healing of reamed glenoid bone articulating with a metal humeral hemiarthroplasty: a canine model, 18
Metabolism and composition of the canine anterior cruciate ligament relate to differences in knee joint mechanics and predisposition to ligament rupture, 61

Canine model
Effect of elbow position on canine flexor digitorum profundus tendon tension, 249

Carpal tunnel syndrome
Carpal tunnel pressure alters median nerve function in a dose-dependent manner: a rabbit model for carpal tunnel syndrome, 218
Immunolocalization of collagen types in the subsynovial connective tissue within the carpal tunnel in humans, 1226

Cartilage
Cartilage degeneration in post-collapse cases of osteonecrosis of the human femoral head: Altered mechanical properties in tension, compression, and shear, 576
Detection of changes in articular cartilage proteoglycan by $T_{1\rho}$ magnetic resonance imaging, 102
Expression patterns of hedgehog signaling peptides in naturally acquired equine osteochondrosis, 1152
Growth and integration of neocartilage with native cartilage in vitro, 433
Novel ultrasonic evaluation of tissue-engineered cartilage for large osteochondral defects—non-invasive judgment of tissue-engineered cartilage, 1179
Patellofemoral joint contact area increases with knee flexion and weight-bearing, 345
Repeated intraarticular injections of triamcinolone acetonide alter cartilage matrix metabolism measured by biomarkers in synovial fluid, 602
The limitation of acute necrosis in retropatellar cartilage after a severe blunt impact to the in vivo rabbit patellofemoral joint, 1363

Cartilage biomechanics
Spatially-localized correlation of dGEMRIC-measured GAG distribution and mechanical stiffness in the human tibial plateau, 93

Cartilage metabolism
Bone morphogenetic protein 9 is a potent anabolic factor for juvenile bovine cartilage, but not adult cartilage, 611

Cartilage repair
Aged bovine chondrocytes display a diminished capacity to produce a collagen-rich, mechanically functional cartilage extracellular matrix, 1354
Bone morphogenetic protein 9 is a potent anabolic factor for juvenile bovine cartilage, but not adult cartilage, 611
Dual transduction of insulin-like growth factor-I and interleukin-1 receptor antagonist protein controls cartilage degradation in an osteoarthritic culture model, 118
Prolonged-fresh preservation of intact whole canine femoral condyles for the potential use as osteochondral allografts, 831
Treatment of cartilage with β-aminopropionitrile accelerates subsequent collagen maturation and modulates integrative repair, 594

Cartilage repair and regeneration
Repair of porcine articular cartilage defect with autologous chondrocyte transplantation, 584

Cartilaginous anlagen relationship
Assessment of the three-dimensional relationship of the ossific nuclei and cartilaginous anlagen in congenital clubfoot by 3-D MRI, 1160

Caspase-3
Paclitaxel induces apoptosis via caspase-3 activation in human osteogenic sarcoma cells (U-2 OS), 988

Cbfa1
Cytological properties of stromal cells derived from giant cell tumor of bone (GCTSC) which can induce osteoclast formation of human blood monocytes without cell to cell contact, 979

CDMP-1
Variable hand and foot abnormalities in family with congenital vertical talus and CDMP-1 gene mutation, 1490

cDNA microarray
Gene expression profile of mechanically impacted bovine articular cartilage explants, 1146

Cell culture
Autologous preparations rich in growth factors promote proliferation and induce VEGF and HGF production by human tendon cells in culture, 281

Cell cycle
Paclitaxel induces apoptosis via caspase-3 activation in human osteogenic sarcoma cells (U-2 OS), 988

Cell viability
The limitation of acute necrosis in retropatellar cartilage after a severe blunt impact to the in vivo rabbit patellofemoral joint, 1363

Cement mantle
In vitro analysis of the cement mantle of femoral hip implants: development and validation of a CT-scan based measurement tool, 698

Cervical facet joint capsule
Neurophysiological and biomechanical characterization of goat cervical facet joint capsules, 779

Cervical muscles
Effect of trunk flexion on cervical muscle EMG to rear impacts, 1105
Turning away from whiplash. An EMG study of head rotation in whiplash impact, 224

Chemonucleolysis
Experimental studies on the effects of recombinant human matrix metalloproteinases on herniated disc tissues—how to facilitate the natural resorption process of herniated discs, 412

Chemotaxis
rhBMP-2, rhVEGF$_{165}$, rhPTN and thrombin-related peptide, TP508 induce chemotaxis of human osteoblasts and microvascular endothelial cells, 680

Chondrocyte
Aged bovine chondrocytes display a diminished capacity to produce a collagen-rich, mechanically functional cartilage extracellular matrix, 1354
Apoptosis and nitric oxide in an experimental model of osteoarthritis in rabbit after hyaluronic acid treatment, 1370
Cellular basis for age-related changes in fracture repair, 1300
Expression and activation of peroxisome proliferator-activated receptors in growth plate chondrocytes, 1139
Inhibition of nitric oxide can ameliorate apoptosis and modulate matrix protein gene expression in bacteria infected chondrocytes in vitro, 440
Rapid phenotypic changes in passaged articular chondrocyte subpopulations, 425

Chondrocytes
Growth and integration of neocartilage with native cartilage in vitro, 433
Intrajoint comparisons of gene expression patterns in human osteoarthritis suggest a change in chondrocyte phenotype, 1128

Chondrogenic differentiation
Type I and II collagen regulation of chondrogenic differentiation by mesenchymal progenitor cells, 446

Chondrogenic potential
Chondrogenic potential of progenitor cells derived from human bone marrow and adipose tissue: A patient-matched comparison, 1383

Chondroprotection
Pulsed electromagnetic fields reduce knee osteoarthritic lesion progression in the aged Dunkin Hartley guinea pig, 899

Chondrosarcoma
RNAi mediated MMP-1 silencing inhibits human chondrosarcoma invasion, 1467

Chromium
Lymphocyte responses in patients with total hip arthroplasty, 384

Chronic
Delayed repair of tendon to bone injuries leads to decreased biomechanical properties and bone loss, 1441
Rat supraspinatus muscle atrophy after tendon detachment, 259

Chronic osteomyelitis
Characterization of a chronic infection in an internally-stabilized segmental defect in the rat femur, 816

Chronobiology
Modulation of vertebral and tibial growth by compression loading: diurnal versus full-time loading, 188

CIK
Effective osteosarcoma cytolysis using cytokine-induced killer cells pre-inoculated with tumor RNA-pulsed dendritic cells, 1460

Circulation
Systemic recruitment of osteoblastic cells in fracture healing, 1013

Clubfoot
Assessment of the three-dimensional relationship of the ossific nuclei and cartilaginous anlagen in congenital clubfoot by 3-D MRI, 1160

Cobalt
Lymphocyte responses in patients with total hip arthroplasty, 384

CoCr-based alloy
Serum levels of cobalt and chromium in patients with Sikomet metal–metal total hip replacements, 526

Colchicine inhibits fracture union
Colchicine inhibits fracture union and reduces bone strength—in vivo study, 877

Collagen
Aged bovine chondrocytes display a diminished capacity to produce a collagen-rich, mechanically functional cartilage extracellular matrix, 1354
Free radical scavenging alleviates the biomechanical impairment of gamma radiation sterilized bone tissue, 838
Growth factors and fibrochondrocytes in scaffolds, 1184
Immunolocalization of collagen types in the subsynovial connective tissue within the carpal tunnel in humans, 1226
Immunological responses to bone soluble proteins in recipients of bone allografts, 1059
Metabolism and composition of the canine anterior cruciate ligament relate to differences in knee joint mechanics and predisposition to ligament rupture, 61
Repeated intraarticular injections of triamcinolone acetonide alter cartilage matrix metabolism measured by biomarkers in synovial fluid, 602
Temporal expression of growth factors and matrix molecules in healing tendon lesions, 84
Treatment of cartilage with β-aminopropionitrile accelerates subsequent collagen maturation and modulates integrative repair, 594
Type I and II collagen regulation of chondrogenic differentiation by mesenchymal progenitor cells, 446

Collagen fibrils
Spatial organization of types I and II collagen in the canine meniscus, 142

Comminution
Interfragmentary surface area as an index of comminution severity in cortical bone impact, 686

COMP
Enhanced concentration of COMP (cartilage oligomeric matrix protein) in osteochondral fractures from racing Thoroughbreds, 156

Compact bone
Long-term ovariectomy decreases ovine compact bone viscoelasticity, 869

Compaction
Bone compaction enhances implant fixation in a canine gap model, 824

Compensation
Altered loading during walking and sit-to-stand is affected by quadriceps weakness after total knee arthroplasty, 1083

Computed tomography
Mechanobiology of mandibular distraction osteogenesis: finite element analyses with a rat model, 663

Connective tissue
Healing of the aponeurosis during recovery from aponeurotomy: morphological and histological adaptation and related changes in mechanical properties, 266

Constitutive modeling
Molecular chain stretch is a multiaxial failure criterion for conventional and highly crosslinked UHMWPE, 367

Contact area
Contact pressures in the flexed hip joint during lateral trochanteric loading, 359
Patellofemoral joint contact area increases with knee flexion and weight-bearing, 345

Continuous passive motion
Anti-inflammatory effects of continuous passive motion on meniscal fibrocartilage, 1165

Cortical bone
Damage mechanisms and failure modes of cortical bone under components of physiological loading, 1047
Free radical scavenging alleviates the biomechanical impairment of gamma radiation sterilized bone tissue, 838
Sterilization by gamma radiation impairs the tensile fatigue life of cortical bone by two orders of magnitude, 1054

Corticosteroids
Repeated intraarticular injections of triamcinolone acetonide alter cartilage matrix metabolism measured by biomarkers in synovial fluid, 602

COX2
p38 MAPK and COX2 inhibition modulate human chondrocyte response to TGF-β, 454

C-reactive protein
Less systemic cytokine response in patients following microendoscopic versus open lumbar discectomy, 406

Crosslinking
Meniscal material properties are minimally affected by matrix stabilization using glutaraldehyde and glycation with ribose, 555
Treatment of cartilage with β-aminopropionitrile accelerates subsequent collagen maturation and modulates integrative repair, 594

CT-based measurement
In vitro analysis of the cement mantle of femoral hip implants: development and validation of a CT-scan based measurement tool, 698

Custom-made
Differences in stability and bone remodeling between a customized uncemented hydroxyapatite coated and a standard cemented femoral stem A randomized study with use of radiostereometry and bone densitometry, 1280

Cutaneous stimulation
Cutaneous stimulation from patella tape causes a differential increase in vasti muscle activity in people with patellofemoral pain, 351

Cytokine
Less systemic cytokine response in patients following microendoscopic versus open lumbar discectomy, 406
Localization and changes of intraneural inflammatory cytokines and inducible-nitric oxide induced by mechanical compression, 771

Cytokines
Circulating and synovial levels of IGF-I, cytokines, physical function and anthropometry differ in women awaiting total knee arthroplasty when compared to men, 397
Interleukin-1 modulates periprosthetic tissue formation in an intramedullary model of particle-induced inflammation, 501
Macrophages accumulate in the early phase of tendon–bone healing, 1425

Cytoskeletal tension
In vitro alterations in cytoskeletal tensional homeostasis control gene expression in tendon cells, 1211

3-D MRI ossific nuclei
Assessment of the three-dimensional relationship of the ossific nuclei and cartilaginous anlagen in congenital clubfoot by 3-D MRI, 1160

Damage
Molecular chain stretch is a multiaxial failure criterion for conventional and highly crosslinked UHMWPE, 367

Damage mechanisms
Damage mechanisms and failure modes of cortical bone under components of physiological loading, 1047

"Dart-throwing" motion
In vivo three-dimensional wrist motion analysis using magnetic resonance imaging and volume-based registration, 750

De Quervain's disease
Gliding resistance of the extensor pollicis brevis tendon and abductor pollicis longus tendon within the first dorsal compartment in fixed wrist positions, 243

Degeneration
Cartilage degeneration in post-collapse cases of osteonecrosis of the human femoral head: Altered mechanical properties in tension, compression, and shear, 576

Demineralized bone matrix
Effects of moisture and temperature on the osteoinductivity of demineralized bone matrix, 855

Dendritic cell
Effective osteosarcoma cytolysis using cytokine-induced killer cells pre-inoculated with tumor RNA-pulsed dendritic cells, 1460

Development
Expression patterns of hedgehog signaling peptides in naturally acquired equine osteochondrosis, 1152

Dexamethasone
Type I and II collagen regulation of chondrogenic differentiation by mesenchymal progenitor cells, 446

Differentiation
Rapid phenotypic changes in passaged articular chondrocyte subpopulations, 425

Digital image correlation
A layered agarose approach to fabricate depth-dependent inhomogeneity in chondrocyte-seeded constructs, 134

Discectomy
Less systemic cytokine response in patients following microendoscopic versus open lumbar discectomy, 406

Disinfection
The influence of bone allograft processing on osteoblast attachment and function, 846

Distal radius
Accuracy and precision of radiostereometric analysis in the measurement of three-dimensional micromotion in a fracture model of the distal radius, 481

Distraction
Determination of ankle external fixation stiffness by expedited interactive finite element analysis, 1321

Distraction osteogenesis
Bone formation is enhanced by thrombin-related peptide TP508 during distraction osteogenesis, 196

Disuse
Cartilage degeneration in post-collapse cases of osteonecrosis of the human femoral head: Altered mechanical properties in tension, compression, and shear, 576

DQF spectroscopic MRI
The effect of detachment of the articular cartilage from its calcified zone on the cartilage microstructure, assessed by ^{2}H-spectroscopic double quantum filtered MRI, 109

Drilling
Effective repair of a fresh osteochondral defect in the rabbit knee joint by articulated joint distraction following subchondral drilling, 909

Dynamic compression
The effects of short-term load duration on anabolic and catabolic gene expression in the rat tail intervertebral disc, 1120

Dynamic mechanical analysis
Long-term ovariectomy decreases ovine compact bone viscoelasticity, 869

Dyschondroplasia
Expression patterns of hedgehog signaling peptides in naturally acquired equine osteochondrosis, 1152

Early growth factors
Thrombin peptide (TP508) promotes fracture repair by up-regulating inflammatory mediators, early growth factors, and increasing angiogenesis, 671

EBRA
Polyethylene wear rate and osteolysis: critical threshold versus continuous dose–response relationship, 520

E. coli
Effect of selected wound antiseptics on adult articular cartilage (bovine sesamoid bone) in the presence of *Escherichia coli* and *Staphylococcus aureus*, 127

Elbow effect
Effect of elbow position on canine flexor digitorum profundus tendon tension, 249

Elbow joint
The effect of radial head fracture size on elbow kinematics and stability, 210

Elbow ligament deficiency
The effect of radial head fracture size on elbow kinematics and stability, 210

Electromyography
Age-related changes in electromyographic quadriceps activity during stair descent, 322
Effect of trunk flexion on cervical muscle EMG to rear impacts, 1105
Turning away from whiplash. An EMG study of head rotation in whiplash impact, 224

Embryology
Molecular signaling in intervertebral disk development, 1112

EMG
Ankle eversion torque response to sudden ankle inversion. Torque response in unbraced, braced, and pre-activated situations, 315

Endoneurial fluid pressure
Effect of acute nerve root compression on endoneurial fluid pressure and blood flow in rat dorsal root ganglia, 420

Endoscope
Less systemic cytokine response in patients following microendoscopic versus open lumbar discectomy, 406

Endothelial cells
rhBMP-2, rhVEGF$_{165}$, rhPTN and thrombin-related peptide, TP508 induce chemotaxis of human osteoblasts and microvascular endothelial cells, 680

Endothelial dysfunction
Activated protein C attenuates acute ischaemia reperfusion injury in skeletal muscle, 1454

Endothelin
Endothelin-1 is secreted after total knee arthroplasty regardless of the use of a tourniquet, 392

Endotoxin
Activation of NF-κB signalling and TNFα-expression in THP-1 macrophages by TiAlV- and polyethylene-wear particles, 1241

Enhanced tendon anchor
Tendon reattachment to a metallic implant using an allogenic bone plate augmented with rhOP-1 vs. autogenous cancellous bone and marrow in a canine model, 1091

Enthesis
Delayed repair of tendon to bone injuries leads to decreased biomechanical properties and bone loss, 1441

Enthesitis
Increase in sensory neuropeptides surrounding the Achilles tendon in rats with adjuvant arthritis, 294

Epicondylitis
Evidence of tendon microtears due to cyclical loading in an in vivo tendinopathy model, 1199

ESWT
Repetitive low-energy shock wave application without local anesthesia is more efficient than repetitive low-energy shock wave application with local anesthesia in the treatment of chronic plantar fasciitis, 931

Evaluation
Novel ultrasonic evaluation of tissue-engineered cartilage for large osteochondral defects—non-invasive judgment of tissue-engineered cartilage, 1179

Excitatory amino acid
Increased concentrations of neuro-excitatory amino acids in rat anterior cruciate ligament-transected knee joint dialysates: a microdialysis study, 569

Experimental arthritis
Increase in sensory neuropeptides surrounding the Achilles tendon in rats with adjuvant arthritis, 294

Experimental pain
Effects of experimentally-induced anterior knee pain on knee joint position sense in healthy individuals, 46

Extensor retinaculum
Gliding resistance of the extensor pollicis brevis tendon and abductor pollicis longus tendon within the first dorsal compartment in fixed wrist positions, 243

External fixation
Determination of ankle external fixation stiffness by expedited interactive finite element analysis, 1321
The course of bone healing is influenced by the initial shear fixation stability, 1022

External fixator
Initial vascularization and tissue differentiation are influenced by fixation stability, 639

Extracellular matrix
Type I and II collagen regulation of chondrogenic differentiation by mesenchymal progenitor cells, 446

Extracortical fixation
The effect of multidrug chemotherapy on bone graft augmented prosthesis fixation, 795

Failure load
Strength of medial structures of the knee joint are decreased by isolated injury to the medial collateral ligament and subsequent joint immobilization, 1191

Failure modeling
Molecular chain stretch is a multiaxial failure criterion for conventional and highly crosslinked UHMWPE, 367

Failure modes
Damage mechanisms and failure modes of cortical bone under components of physiological loading, 1047

Fatigue
Damage mechanisms and failure modes of cortical bone under components of physiological loading, 1047
Sterilization by gamma radiation impairs the tensile fatigue life of cortical bone by two orders of magnitude, 1054
Why would cement porosity reduction be clinically irrelevant, while experimental data show the contrary, 691

Fatty infiltration
Asymmetric atrophy of the supraspinatus muscle following tendon tear, 254

FDG-PET
Early detection of bone infection and differentiation from post-surgical inflammation using 2-deoxy-2-[^{18}F]-fluoro-D-glucose positron emission tomography (FDG-PET) in an animal model, 1484

Femoroacetabular impingement
Three-dimensional computed tomography of the hip in the assessment of femoroacetabular impingement, 1286

Femur
In vitro analysis of the cement mantle of femoral hip implants: development and validation of a CT-scan based measurement tool, 698
Sagittal bowing of the distal femur in Chinese patients who require total knee arthroplasty, 41

Fibroblasts
Arthroplasty membrane-derived fibroblasts directly induce osteoclast formation and osteolysis in aseptic loosening, 511

Fibrocartilage
Anti-inflammatory effects of continuous passive motion on meniscal fibrocartilage, 1165
Formation of a new enthesis after attachment of the supraspinatus tendon: A quantitative histologic study in rabbits, 1433
Spatial organization of types I and II collagen in the canine meniscus, 142

Fibrochondrocytes
Growth factors and fibrochondrocytes in scaffolds, 1184

Finite deformation
Heterogeneous three-dimensional strain fields during unconfined cyclic compression in bovine articular cartilage explants, 1390

Finite element analysis
Determination of ankle external fixation stiffness by expedited interactive finite element analysis, 1321
Increase of pullout strength of spinal pedicle screws with conical core: biomechanical tests and finite element analyses, 788
Mechanobiology of mandibular distraction osteogenesis: finite element analyses with a rat model, 663
Three-dimensional finite element analysis of unicompartmental knee arthroplasty—the influence of tibial component inclination, 549
Why would cement porosity reduction be clinically irrelevant, while experimental data show the contrary, 691

Finite element modelling
Computational bone remodelling simulations and comparisons with DEXA results, 705

Fixation
Uncemented short-length diaphyseal segmental replacement prosthesis fixation—Finite element analysis and long-term results, 1065

FK506
Cell traffic between donor and recipient following rat limb allograft, 181

Flexible intramedullary nail
A biomechanical study on flexible intramedullary nails used to treat pediatric femoral fractures, 1315

Foot anomalies
Variable hand and foot abnormalities in family with congenital vertical talus and CDMP-1 gene mutation, 1490

Force
A new tibial coordinate system improves the precision of anterior–posterior knee laxity measurements: a cadaveric study using Roentgen stereophotogrammetric analysis, 327
Tension in a double loop tendon anterior cruciate graft during a simulated open chain knee extension exercise, 77

Fracture
Accuracy and precision of radiostereometric analysis in the measurement of three-dimensional micromotion in a fracture model of the distal radius, 481
Intact fibula improves fracture healing in a rat tibia osteotomy model, 489
The effect of radial head fracture size on elbow kinematics and stability, 210

Fracture energy
Interfragmentary surface area as an index of comminution severity in cortical bone impact, 686

Fracture fixation
Infection resistance of unreamed solid, hollow slotted and cannulated intramedullary nails: an in-vivo experimental comparison, 810

Fracture healing
A single systemic dose of pamidronate improves bone mineral content and accelerates restoration of strength in a rat model of fracture repair, 1029
Initial vascularization and tissue differentiation are influenced by fixation stability, 639
Prevention of atrophic nonunion development by recombinant human bone morphogenetic protein-7, 632
Systemic recruitment of osteoblastic cells in fracture healing, 1013

Fracture repair
Cellular basis for age-related changes in fracture repair, 1300

Reactivation of Hox gene expression during bone regeneration, 882
Thrombin peptide (TP508) promotes fracture repair by up-regulating inflammatory mediators, early growth factors, and increasing angiogenesis, 671
Time for treating bone fracture using rhBMP-2: A randomised placebo controlled mouse fracture trial, 625

Free radical scavengers
Free radical scavenging alleviates the biomechanical impairment of gamma radiation sterilized bone tissue, 838

Free radicals
Free radical scavenging alleviates the biomechanical impairment of gamma radiation sterilized bone tissue, 838

Frontal impacts
Turning away from whiplash. An EMG study of head rotation in whiplash impact, 224

Function
Altered loading during walking and sit-to-stand is affected by quadriceps weakness after total knee arthroplasty, 1083

Functional instability
Ankle eversion torque response to sudden ankle inversion. Torque response in unbraced, braced, and pre-activated situations, 315

Gamma radiation
Free radical scavenging alleviates the biomechanical impairment of gamma radiation sterilized bone tissue, 838
Sterilization by gamma radiation impairs the tensile fatigue life of cortical bone by two orders of magnitude, 1054

Gap model
Bone compaction enhances implant fixation in a canine gap model, 824

GAP-43
Gene expression of nAChR, SNAP-25 and GAP-43 in skeletal muscles following botulinum toxin A injection: a study in rats, 302

Gelatin beads
Repair of porcine articular cartilage defect with autologous chondrocyte transplantation, 584

Gemcitabine
Gemcitabine inhibits viability, growth, and metastasis of osteosarcoma cell lines, 964

Gene expression
Effect of low intensity pulsed ultrasound and BMP-2 on rat bone marrow stromal cell gene expression, 646
In vitro alterations in cytoskeletal tensional homeostasis control gene expression in tendon cells, 1211
Intrajoint comparisons of gene expression patterns in human osteoarthritis suggest a change in chondrocyte phenotype, 1128
Rapid phenotypic changes in passaged articular chondrocyte subpopulations, 425
Reactivation of Hox gene expression during bone regeneration, 882
Thrombin peptide (TP508) promotes fracture repair by up-regulating inflammatory mediators, early growth factors, and increasing angiogenesis, 671

Gene therapy
Dual transduction of insulin-like growth factor-I and interleukin-1 receptor antagonist protein controls cartilage degradation in an osteoarthritic culture model, 118
Vascular endothelial growth factor (VEGF) gene transfer enhances surgical revascularization of necrotic bone, 469

Giant cell tumor
Recruitment of osteoclast precursors by stromal cell derived factor-1 (SDF-1) in giant cell tumor of bone, 203

Giant cell tumor derived stromal cells
Cytological properties of stromal cells derived from giant cell tumor of bone (GCTSC) which can induce osteoclast formation of human blood monocytes without cell to cell contact, 979

Glenoid
Healing of reamed glenoid bone articulating with a metal humeral hemiarthroplasty: a canine model, 18

Gliding resistance
Gliding resistance of the extensor pollicis brevis tendon and abductor pollicis longus tendon within the first dorsal compartment in fixed wrist positions, 243

Glutamate
Increased concentrations of neuro-excitatory amino acids in rat anterior cruciate ligament-transected knee joint dialysates: a microdialysis study, 569

Glutaraldehyde
Meniscal material properties are minimally affected by matrix stabilization using glutaraldehyde and glycation with ribose, 555

Glycation
Meniscal material properties are minimally affected by matrix stabilization using glutaraldehyde and glycation with ribose, 555

Glycosaminoglycan
An adenosine A_{2A} receptor agonist reduces interleukin-8 expression and glycosaminoglycan loss following septic arthrosis, 1172

Glycosaminoglycans
Growth factors and fibrochondrocytes in scaffolds, 1184
Spatially-localized correlation of dGEMRIC-measured GAG distribution and mechanical stiffness in the human tibial plateau, 93

Graft
Tension in a double loop tendon anterior cruciate graft during a simulated open chain knee extension exercise, 77

Growth factor release
Effects of moisture and temperature on the osteoinductivity of demineralized bone matrix, 855

Growth factors
Autologous preparations rich in growth factors promote proliferation and induce VEGF and HGF production by human tendon cells in culture, 281
Bone morphogenetic protein 9 is a potent anabolic factor for juvenile bovine cartilage, but not adult cartilage, 611
Growth factors and fibrochondrocytes in scaffolds, 1184

Growth plate
Expression and activation of peroxisome proliferator-activated receptors in growth plate chondrocytes, 1139
Modulation of vertebral and tibial growth by compression loading: diurnal versus full-time loading, 188
The effect of recombinant human osteogenic protein-1 on growth plate repair in a sheep model, 1336

^{2}H quadrupolar splitting
The effect of detachment of the articular cartilage from its calcified zone on the cartilage microstructure, assessed by ^{2}H-spectroscopic double quantum filtered MRI, 109

Hand anomalies
Variable hand and foot abnormalities in family with congenital vertical talus and CDMP-1 gene mutation, 1490

Healing
Autologous preparations rich in growth factors promote proliferation and induce VEGF and HGF production by human tendon cells in culture, 281
Temporal expression of growth factors and matrix molecules in healing tendon lesions, 84

Hedgehog
Expression patterns of hedgehog signaling peptides in naturally acquired equine osteochondrosis, 1152
Molecular signaling in intervertebral disk development, 1112

Hemiarthroplasty
Healing of reamed glenoid bone articulating with a metal humeral hemiarthroplasty: a canine model, 18

Hemochromatosis
The role of hereditary hemochromatosis in aseptic loosening following primary total hip arthroplasty, 542

Hemoglobin
Hemoglobin stimulates the expression of matrix metalloproteinases, MMP-2 and MMP-9 by synovial cells: a possible cause

of joint damage after intra-articular hemorrhage, 891

Herniated disc
Experimental studies on the effects of recombinant human matrix metalloproteinases on herniated disc tissues—how to facilitate the natural resorption process of herniated discs, 412

Heterotopic ossification
The origin of osteoprogenitor cells responsible for heterotopic ossification following hip surgery: an animal model in the rabbit, 34

Hip
Cartilage degeneration in post-collapse cases of osteonecrosis of the human femoral head: Altered mechanical properties in tension, compression, and shear, 576
Contact pressures in the flexed hip joint during lateral trochanteric loading, 359
Magnetic resonance imaging in the evaluation of periprosthetic acetabular osteolysis: A cadaveric study, 713
Tensile properties of the human acetabular labrum—the first report, 1448
The origin of osteoprogenitor cells responsible for heterotopic ossification following hip surgery: an animal model in the rabbit, 34
The role of hereditary hemochromatosis in aseptic loosening following primary total hip arthroplasty, 542

Hip arthroplasty
Computational bone remodelling simulations and comparisons with DEXA results, 705
In vitro analysis of the cement mantle of femoral hip implants: development and validation of a CT-scan based measurement tool, 698
The origin of osteoprogenitor cells responsible for heterotopic ossification following hip surgery: an animal model in the rabbit, 34

Hip fracture
Lag screws for hip fracture fixation: Evaluation of migration resistance under simulated walking, 1329

Histology
Formation of a new enthesis after attachment of the supraspinatus tendon: A quantitative histologic study in rabbits, 1433
Modulation of vertebral and tibial growth by compression loading: diurnal versus full-time loading, 188

Histomorphometry
Formation of a new enthesis after attachment of the supraspinatus tendon: A quantitative histologic study in rabbits, 1433
Stimulation of implant fixation by parathyroid hormone (1–34)—A histomorphometric comparison of PMMA cement and stainless steel, 1266
Zoledronic acid improves femoral head sphericity in a rat model of perthes disease, 862

Horse
Repeated intraarticular injections of triamcinolone acetonide alter cartilage matrix metabolism measured by biomarkers in synovial fluid, 602

Hox
Reactivation of Hox gene expression during bone regeneration, 882

Hyaluronan
Adhesion reduction after knee surgery in a rabbit model by Hyaloglide®, a hyaluronan derivative gel, 1377

Hydroxyapatite
Evolution of an in vivo bioreactor, 916

Hypersensitivity
Lymphocyte responses in patients with total hip arthroplasty, 384

Hypertonic saline
Effects of experimentally-induced anterior knee pain on knee joint position sense in healthy individuals, 46

IGF-I
Circulating and synovial levels of IGF-I, cytokines, physical function and anthropometry differ in women awaiting total knee arthroplasty when compared to men, 397
Dual transduction of insulin-like growth factor-I and interleukin-1 receptor antagonist protein controls cartilage degradation in an osteoarthritic culture model, 118
IGF-I activates PKB and prevents anoxic apoptosis in Achilles tendon cells, 1219
Temporal expression of growth factors and matrix molecules in healing tendon lesions, 84

IL-1
Detection of changes in articular cartilage proteoglycan by $T_{1\rho}$ magnetic resonance imaging, 102

IL-1Ra
Dual transduction of insulin-like growth factor-I and interleukin-1 receptor antagonist protein controls cartilage degradation in an osteoarthritic culture model, 118

Imaging
A new tibial coordinate system improves the precision of anterior–posterior knee laxity measurements: a cadaveric study using Roentgen stereophotogrammetric analysis, 327

Immobilization
Strength of medial structures of the knee joint are decreased by isolated injury to the medial collateral ligament and subsequent joint immobilization, 1191

Immune response
Immunological responses to bone soluble proteins in recipients of bone allografts, 1059

Immunogold
Immunolocalization of collagen types in the subsynovial connective tissue within the carpal tunnel in humans, 1226

Immunohistochemistry
Differences in the presence of mechanoreceptors and nerve structures between wrist ligaments may imply differential roles in wrist stabilization, 757
Simultaneous labeling of mast cell proteases and protease mRNAs at the bone–implant interface of aseptically loosened hip implants, 942

Immunotherapy
Effective osteosarcoma cytolysis using cytokine-induced killer cells pre-inoculated with tumor RNA-pulsed dendritic cells, 1460

Impact trauma
The limitation of acute necrosis in retropatellar cartilage after a severe blunt impact to the in vivo rabbit patellofemoral joint, 1363

Implant fixation
Bone compaction enhances implant fixation in a canine gap model, 824
Stimulation of implant fixation by parathyroid hormone (1–34)—A histomorphometric comparison of PMMA cement and stainless steel, 1266

Implant migration
Lag screws for hip fracture fixation: Evaluation of migration resistance under simulated walking, 1329

In situ hybridization
Simultaneous labeling of mast cell proteases and protease mRNAs at the bone–implant interface of aseptically loosened hip implants, 942

In vitro testing
The effect of radial head fracture size on elbow kinematics and stability, 210

In vivo
Bone compaction enhances implant fixation in a canine gap model, 824
In vivo three-dimensional wrist motion analysis using magnetic resonance imaging and volume-based registration, 750
Strain and excursion in the rat sciatic nerve during a modified straight leg raise are altered after traumatic nerve injury, 764
The effects of short-term load duration on anabolic and catabolic gene expression in the rat tail intervertebral disc, 1120

In vivo kinematics
In vivo kinematics of the ACL during weight-bearing knee flexion, 340

Indentation testing
Spatially-localized correlation of dGEMRIC-measured GAG distribution and mechanical stiffness in the human tibial plateau, 93

Infection
A novel total knee arthroplasty infection model in rabbits, 1100
An articulated antibiotic spacer used for infected total knee arthroplasty: a comparative in vitro elution study of Simplex® and Palacos® bone cements, 27
Early detection of bone infection and differentiation from post-surgical inflammation using 2-deoxy-2-[^{18}F]-fluoro-D-glucose positron emission tomography (FDG-PET) in an animal model, 1484
Infection resistance of unreamed solid, hollow slotted and cannulated intramedullary nails: an in-vivo experimental comparison, 810

Inflammation
Localization and changes of intraneural inflammatory cytokines and inducible-nitric oxide induced by mechanical compression, 771
Pulsed electromagnetic fields reduce knee osteoarthritic lesion progression in the aged Dunkin Hartley guinea pig, 899

Inhomogeneity
A layered agarose approach to fabricate depth-dependent inhomogeneity in chondrocyte-seeded constructs, 134

Injury severity
Interfragmentary surface area as an index of comminution severity in cortical bone impact, 686

Insertion site
Delayed repair of tendon to bone injuries leads to decreased biomechanical properties and bone loss, 1441

Integration
Growth and integration of neocartilage with native cartilage in vitro, 433

Interleukin-1
Anti-inflammatory effects of continuous passive motion on meniscal fibrocartilage, 1165

Interleukin-6
Less systemic cytokine response in patients following microendoscopic versus open lumbar discectomy, 406

Interleukin-8
An adenosine A_{2A} receptor agonist reduces interleukin-8 expression and glycosaminoglycan loss following septic arthrosis, 1172

Intervertebral disc
Mechanical differences between lumbar and tail discs in the mouse, 150

Intervertebral disk
Molecular signaling in intervertebral disk development, 1112

Intramedullary nails
Infection resistance of unreamed solid, hollow slotted and cannulated intramedullary nails: an in-vivo experimental comparison, 810

Intravitalmicroscopy
Femur window—a new approach to microcirculation of living bone in situ, 1073

Inversion injury
Ankle eversion torque response to sudden ankle inversion. Torque response in unbraced, braced, and pre-activated situations, 315

Joint
Metabolism and composition of the canine anterior cruciate ligament relate to differences in knee joint mechanics and predisposition to ligament rupture, 61

Joint degeneration
Acute botulinum toxin-induced muscle weakness in the anterior cruciate ligament-deficient rabbit, 1404
Proposed model of botulinum toxin-induced muscle weakness in the rabbit, 1411

Joint distraction
Effective repair of a fresh osteochondral defect in the rabbit knee joint by articulated joint distraction following subchondral drilling, 909

Joint loading
Rabbit knee joint biomechanics: Motion analysis and modeling of forces during hopping, 735

Joint position sense
Effects of experimentally-induced anterior knee pain on knee joint position sense in healthy individuals, 46

Kinematics
Evidence for differential control of tibial position in perturbed unilateral stance after acute ACL rupture, 54
Rabbit knee joint biomechanics: Motion analysis and modeling of forces during hopping, 735

Knee
A new tibial coordinate system improves the precision of anterior–posterior knee laxity measurements: a cadaveric study using Roentgen stereophotogrammetric analysis, 327
Acute botulinum toxin-induced muscle weakness in the anterior cruciate ligament-deficient rabbit, 1404
Age-related changes in electromyographic quadriceps activity during stair descent, 322
Evidence for differential control of tibial position in perturbed unilateral stance after acute ACL rupture, 54
Proposed model of botulinum toxin-induced muscle weakness in the rabbit, 1411
Rabbit knee joint biomechanics: Motion analysis and modeling of forces during hopping, 735
Sagittal bowing of the distal femur in Chinese patients who require total knee arthroplasty, 41
Tension in a double loop tendon anterior cruciate graft during a simulated open chain knee extension exercise, 77

Knee arthroplasty
Endothelin-1 is secreted after total knee arthroplasty regardless of the use of a tourniquet, 392

Knee joint
Effects of experimentally-induced anterior knee pain on knee joint position sense in healthy individuals, 46

Knee kinematics
Movement of the posterior cruciate ligament during knee flexion—MRI analysis, 334

Knee meniscus
Spatial organization of types I and II collagen in the canine meniscus, 142

Lag screw
Lag screws for hip fracture fixation: Evaluation of migration resistance under simulated walking, 1329

Langenskiöld
The effect of recombinant human osteogenic protein-1 on growth plate repair in a sheep model, 1336

Laxity
A new tibial coordinate system improves the precision of anterior–posterior knee laxity measurements: a cadaveric study using Roentgen stereophotogrammetric analysis, 327

Ligament
Metabolism and composition of the canine anterior cruciate ligament relate to differences in knee joint mechanics and predisposition to ligament rupture, 61
Viscoelastic properties of the human medial collateral ligament under longitudinal, transverse and shear loading, 67

Ligament injury
Differential MMP-2 activity of ligament cells under mechanical stretch injury: An in vitro study on human ACL and MCL fibroblasts, 949

Ligaments
Differences in the presence of mechanoreceptors and nerve structures between wrist ligaments may imply differential roles in wrist stabilization, 757
The effect of ankle ligament damage and surgical reconstructions on the mechanics of the ankle and subtalar joints revealed by three-dimensional stress MRI, 743

Limb allograft
Cell traffic between donor and recipient following rat limb allograft, 181

Limb lengthening
In vivo assessment of regenerate axial stiffness in distraction osteogenesis, 494

Load-share ratio
In vivo assessment of regenerate axial stiffness in distraction osteogenesis, 494

Load-sharing
Strength of medial structures of the knee joint are decreased by isolated injury to the medial collateral ligament and subsequent joint immobilization, 1191

Local anesthesia
Repetitive low-energy shock wave application without local anesthesia is more efficient than repetitive low-energy shock wave application with local anesthesia in the treatment of chronic plantar fasciitis, 931

Local delivery
A single systemic dose of pamidronate improves bone mineral content and accelerates restoration of strength in a rat model of fracture repair, 1029

Loosening
Uncemented short-length diaphyseal segmental replacement prosthesis fixation—Finite element analysis and long-term results, 1065

Loss tangent
Long-term ovariectomy decreases ovine compact bone viscoelasticity, 869

Lubricin
Proteoglycan 4 (PRG4) synthesis and immunolocalization in bovine meniscus, 562

Lumbar disc herniation
Effect of acute nerve root compression on endoneurial fluid pressure and blood flow in rat dorsal root ganglia, 420

Lumbar spinal canal stenosis
Effect of acute nerve root compression on endoneurial fluid pressure and blood flow in rat dorsal root ganglia, 420

Lymphocyte
Lymphocyte responses in patients with total hip arthroplasty, 384

Lymphocyte transformation test
Lymphocyte responses in patients with total hip arthroplasty, 384

Lymphocytes
Polyethylene and titanium particles induce osteolysis by similar, lymphocyte-independent, mechanisms, 376

Lysyl oxidase
Treatment of cartilage with β-aminopropionitrile accelerates subsequent collagen maturation and modulates integrative repair, 594

M-CSF
Pulsed electromagnetic fields stimulation affects osteoclast formation by modulation of osteoprotegerin, RANK ligand and macrophage colony-stimulating factor, 1308

m. gastrocnemius
Healing of the aponeurosis during recovery from aponeurotomy: morphological and histological adaptation and related changes in mechanical properties, 266

Macrophage
Macrophages accumulate in the early phase of tendon–bone healing, 1425

Magnetic resonance imaging
Heterogeneous three-dimensional strain fields during unconfined cyclic compression in bovine articular cartilage explants, 1390
Movement of the posterior cruciate ligament during knee flexion—MRI analysis, 334
Spatially-localized correlation of dGEMRIC-measured GAG distribution and mechanical stiffness in the human tibial plateau, 93

Mandibular distraction osteogenesis
Mechanobiology of mandibular distraction osteogenesis: finite element analyses with a rat model, 663

MAPK
Chemokine IL-8 induction by particulate wear debris in osteoblasts is mediated by NF-κB, 1249

Marrow stromal cell
Restoration of bone defect and enhancement of bone ingrowth using partially demineralized bone matrix and marrow stromal cells, 1293

Mast cell
Simultaneous labeling of mast cell proteases and protease mRNAs at the bone–implant interface of aseptically loosened hip implants, 942

Material properties
Viscoelastic properties of the human medial collateral ligament under longitudinal, transverse and shear loading, 67

Matrix metalloproteinase
Experimental studies on the effects of recombinant human matrix metalloproteinases on herniated disc tissues—how to facilitate the natural resorption process of herniated discs, 412
Gene expression profile of mechanically impacted bovine articular cartilage explants, 1146

Matrix metalloproteinase-2 (MMP-2)
Differential MMP-2 activity of ligament cells under mechanical stretch injury: An in vitro study on human ACL and MCL fibroblasts, 949

Matrix metalloproteinases (MMPs)
Hemoglobin stimulates the expression of matrix metalloproteinases, MMP-2 and MMP-9 by synovial cells: a possible cause of joint damage after intra-articular hemorrhage, 891

MCL
Differential MMP-2 activity of ligament cells under mechanical stretch injury: An in vitro study on human ACL and MCL fibroblasts, 949
Viscoelastic properties of the human medial collateral ligament under longitudinal, transverse and shear loading, 67

Mechanical impact
Gene expression profile of mechanically impacted bovine articular cartilage explants, 1146

Mechanical loading
Modulation of vertebral and tibial growth by compression loading: diurnal versus full-time loading, 188

Mechanical properties
Cartilage degeneration in post-collapse cases of osteonecrosis of the human femoral head: Altered mechanical properties in tension, compression, and shear, 576

Mechanical stimulation
Shear stress alters the expression of myelin-associated glycoprotein (MAG) and myelin basic protein (MBP) in Schwann cells, 1232

Mechanical testing
Damage mechanisms and failure modes of cortical bone under components of physiological loading, 1047

Mechanics
Metabolism and composition of the canine anterior cruciate ligament relate to differences in knee joint mechanics and predisposition to ligament rupture, 61

Mechanobiology
Mechanobiology of mandibular distraction osteogenesis: finite element analyses with a rat model, 663
The effects of short-term load duration on anabolic and catabolic gene expression in the rat tail intervertebral disc, 1120

Mechanoreceptor
Neurophysiological and biomechanical characterization of goat cervical facet joint capsules, 779

Mechanoreceptors
Differences in the presence of mechanoreceptors and nerve structures between wrist ligaments may imply differential roles in wrist stabilization, 757

Medial capsule
Strength of medial structures of the knee joint are decreased by isolated injury to the medial collateral ligament and subsequent joint immobilization, 1191

Medial collateral ligament
Strength of medial structures of the knee joint are decreased by isolated injury to the medial collateral ligament and subsequent joint immobilization, 1191

Meniscus
Anti-inflammatory effects of continuous passive motion on meniscal fibrocartilage, 1165
Growth factors and fibrochondrocytes in scaffolds, 1184
Meniscal material properties are minimally affected by matrix stabilization using glutaraldehyde and glycation with ribose, 555
Proteoglycan 4 (PRG4) synthesis and immunolocalization in bovine meniscus, 562

Mesenchymal progenitor cells, Sox9
Type I and II collagen regulation of chondrogenic differentiation by mesenchymal progenitor cells, 446

Mesenchymal tissue differentiation
Mechanobiology of mandibular distraction osteogenesis: finite element analyses with a rat model, 663

Metal
Lymphocyte responses in patients with total hip arthroplasty, 384

Metal ion concentration
Serum levels of cobalt and chromium in patients with Sikomet metal–metal total hip replacements, 526

Metal-on-metal hip prostheses
Serum levels of cobalt and chromium in patients with Sikomet metal–metal total hip replacements, 526

Metastasis
Gemcitabine inhibits viability, growth, and metastasis of osteosarcoma cell lines, 964
RNAi mediated MMP-1 silencing inhibits human chondrosarcoma invasion, 1467

Microarray analysis
Thrombin peptide (TP508) promotes fracture repair by up-regulating inflammatory mediators, early growth factors, and increasing angiogenesis, 671

Microchimerism
Cell traffic between donor and recipient following rat limb allograft, 181

Microcirculation
Acute effects of *N*-acetylcysteine on skeletal muscle microcirculation following closed soft tissue trauma in rats, 231
Femur window—a new approach to microcirculation of living bone in situ, 1073

Microcrack
The effect of bone microstructure on the initiation and growth of microcracks, 475

Microdialysis
Increased concentrations of neuro-excitatory amino acids in rat anterior cruciate ligament-transected knee joint dialysates: a microdialysis study, 569

Microtears
Evidence of tendon microtears due to cyclical loading in an in vivo tendinopathy model, 1199

Migration
Effect of pamidronate on bone turnover and implant migration after total hip arthroplasty: a randomized trial, 1

Minimally invasive
Less systemic cytokine response in patients following microendoscopic versus open lumbar discectomy, 406

Mitochondrial functions
Molecular mechanism of nitric oxide-induced osteoblast apoptosis, 462

MMP-1
RNAi mediated MMP-1 silencing inhibits human chondrosarcoma invasion, 1467

Moisture
Effects of moisture and temperature on the osteoinductivity of demineralized bone matrix, 855

Moment of inertia
The course of bone healing is influenced by the initial shear fixation stability, 1022

Monolayer expansion
Rapid phenotypic changes in passaged articular chondrocyte subpopulations, 425

Motor unit activity
Cutaneous stimulation from patella tape causes a differential increase in vasti muscle activity in people with patellofemoral pain, 351

Mouse
Mechanical differences between lumbar and tail discs in the mouse, 150
Time for treating bone fracture using rhBMP-2: A randomised placebo controlled mouse fracture trial, 625

Mouse model
Interleukin-1 modulates periprosthetic tissue formation in an intramedullary model of particle-induced inflammation, 501

MRI
Detection of changes in articular cartilage proteoglycan by $T_{1\rho}$ magnetic resonance imaging, 102
Magnetic resonance imaging in the evaluation of periprosthetic acetabular osteolysis: A cadaveric study, 713
Patellofemoral joint contact area increases with knee flexion and weight-bearing, 345
The effect of ankle ligament damage and surgical reconstructions on the mechanics of the ankle and subtalar joints revealed by three-dimensional stress MRI, 743

mRNA
Gene expression of nAChR, SNAP-25 and GAP-43 in skeletal muscles following botulinum toxin A injection: a study in rats, 302

MRSA
A novel total knee arthroplasty infection model in rabbits, 1100

MSCs
Systemic recruitment of osteoblastic cells in fracture healing, 1013

Multiaxial mechanical behavior
Molecular chain stretch is a multiaxial failure criterion for conventional and highly crosslinked UHMWPE, 367

Multidrug chemotherapy
The effect of multidrug chemotherapy on bone graft augmented prosthesis fixation, 795

Murine
Polyethylene and titanium particles induce osteolysis by similar, lymphocyte-independent, mechanisms, 376

Muscle
Altered loading during walking and sit-to-stand is affected by quadriceps weakness after total knee arthroplasty, 1083

Muscle contraction
Effects of systemic and regional taurine on skeletal muscle function following ischaemia–reperfusion injury, 310

Muscle degeneration
Asymmetric atrophy of the supraspinatus muscle following tendon tear, 254

Muscle onset
Age-related changes in electromyographic quadriceps activity during stair descent, 322

Muscle strength
Proposed model of botulinum toxin-induced muscle weakness in the rabbit, 1411

Muscle weakness
Acute botulinum toxin-induced muscle weakness in the anterior cruciate ligament-deficient rabbit, 1404

Muscle, skeletal
Effects of systemic and regional taurine on skeletal muscle function following ischaemia–reperfusion injury, 310

Musculoskeletal kinematics
On the influence of soft tissue coverage in the determination of bone kinematics using skin markers, 726

Myelin
Shear stress alters the expression of myelin-associated glycoprotein (MAG) and myelin basic protein (MBP) in Schwann cells, 1232

Myelin basic protein (MBP)
Shear stress alters the expression of myelin-associated glycoprotein (MAG) and myelin basic protein (MBP) in Schwann cells, 1232

Myelin-associated glycoprotein (MAG)
Shear stress alters the expression of myelin-associated glycoprotein (MAG) and myelin basic protein (MBP) in Schwann cells, 1232

N-acetylcysteine
Acute effects of *N*-acetylcysteine on skeletal muscle microcirculation following closed soft tissue trauma in rats, 231

nAChR
Gene expression of nAChR, SNAP-25 and GAP-43 in skeletal muscles following botulinum toxin A injection: a study in rats, 302

Necrosis
The limitation of acute necrosis in retropatellar cartilage after a severe blunt impact to the in vivo rabbit patellofemoral joint, 1363

Nerve biomechanics
Strain and excursion in the rat sciatic nerve during a modified straight leg raise are altered after traumatic nerve injury, 764

Nerve compression
Carpal tunnel pressure alters median nerve function in a dose-dependent manner: a rabbit model for carpal tunnel syndrome, 218

Nerve conduction study
Carpal tunnel pressure alters median nerve function in a dose-dependent manner: a rabbit model for carpal tunnel syndrome, 218

Nerve crush
Strain and excursion in the rat sciatic nerve during a modified straight leg raise are altered after traumatic nerve injury, 764

Nerve endings
Mapping the rat somatosensory pathway from the anterior cruciate ligament nerve endings to the cerebrum, 1419

Nerve glide
Strain and excursion in the rat sciatic nerve during a modified straight leg raise are altered after traumatic nerve injury, 764

Nerve stretch
Strain and excursion in the rat sciatic nerve during a modified straight leg raise are altered after traumatic nerve injury, 764

Neuropeptides
Increase in sensory neuropeptides surrounding the Achilles tendon in rats with adjuvant arthritis, 294

Neutral sphingomyelinase
Sphingomyelinase mediates macrophage activation by titanium particles independent of phagocytosis: A role for free radicals, NFκB, and TNFα, 1258

Neutral zone
Mechanical differences between lumbar and tail discs in the mouse, 150

Neutrophil
Macrophages accumulate in the early phase of tendon–bone healing, 1425

Neutrophil activation
Activated protein C attenuates acute ischaemia reperfusion injury in skeletal muscle, 1454

NF-κB
Chemokine IL-8 induction by particulate wear debris in osteoblasts is mediated by NF-κB, 1249

Nickel
Lymphocyte responses in patients with total hip arthroplasty, 384

Nickel allergy
Biomechanical and allergological characteristics of a biodegradable poly(D,L-lactic acid) coating for orthopaedic implants, 802

Nitric oxide
Apoptosis and nitric oxide in an experimental model of osteoarthritis in rabbit after hyaluronic acid treatment, 1370
Inhibition of nitric oxide can ameliorate apoptosis and modulate matrix protein gene expression in bacteria infected chondrocytes in vitro, 440
Localization and changes of intraneural inflammatory cytokines and inducible-nitric oxide induced by mechanical compression, 771
Molecular mechanism of nitric oxide-induced osteoblast apoptosis, 462

Nociceptor
Neurophysiological and biomechanical characterization of goat cervical facet joint capsules, 779

Noggin
Molecular signaling in intervertebral disk development, 1112

Nonunion
Prevention of atrophic nonunion development by recombinant human bone morphogenetic protein-7, 632

Nuclear factor kappa B
Activation of NF-κB signalling and TNFα-expression in THP-1 macrophages by TiAlV- and polyethylene-wear particles, 1241

Open chain
Tension in a double loop tendon anterior cruciate graft during a simulated open chain knee extension exercise, 77

OPG
Pulsed electromagnetic fields stimulation affects osteoclast formation by modulation of osteoprotegerin, RANK ligand and macrophage colony-stimulating factor, 1308

Osseointegration
Bone compaction enhances implant fixation in a canine gap model, 824

Ossification delay
Zoledronic acid improves femoral head sphericity in a rat model of perthes disease, 862

Osteoarthritis
Apoptosis and nitric oxide in an experimental model of osteoarthritis in rabbit after hyaluronic acid treatment, 1370
Detection of changes in articular cartilage proteoglycan by $T_{1\rho}$ magnetic resonance imaging, 102
Enhanced concentration of COMP (cartilage oligomeric matrix protein) in osteochondral fractures from racing Thoroughbreds, 156
Immunological responses to bone soluble proteins in recipients of bone allografts, 1059
Increased concentrations of neuro-excitatory amino acids in rat anterior cruciate ligament-transected knee joint dialysates: a microdialysis study, 569
Intrajoint comparisons of gene expression patterns in human osteoarthritis suggest a change in chondrocyte phenotype, 1128
Proposed model of botulinum toxin-induced muscle weakness in the rabbit, 1411
Pulsed electromagnetic fields reduce knee osteoarthritic lesion progression in the aged Dunkin Hartley guinea pig, 899
The limitation of acute necrosis in retropatellar cartilage after a severe blunt impact to the in vivo rabbit patellofemoral joint, 1363

Osteoarthrits
Acute botulinum toxin-induced muscle weakness in the anterior cruciate ligament-deficient rabbit, 1404

Osteoblast
Chemokine IL-8 induction by particulate wear debris in osteoblasts is mediated by NF-κB, 1249
Identification and characterization of valosin-containing protein (VCP/p97) in untransformed osteoblast-like cells, 618
rhBMP-2, rhVEGF$_{165}$, rhPTN and thrombin-related peptide, TP508 induce chemotaxis of human osteoblasts and microvascular endothelial cells, 680
The influence of bone allograft processing on osteoblast attachment and function, 846

Osteoblast differentiation
Relationship of bone morphogenetic protein expression during osteoblast differentiation to wild type p53, 1345

Osteoblast recruitment
Systemic recruitment of osteoblastic cells in fracture healing, 1013

Osteoblasts
Cellular basis for age-related changes in fracture repair, 1300
Cytological properties of stromal cells derived from giant cell tumor of bone (GCTSC) which can induce osteoclast formation of human blood monocytes without cell to cell contact, 979
Molecular mechanism of nitric oxide-induced osteoblast apoptosis, 462

Osteocalcin
Cytological properties of stromal cells derived from giant cell tumor of bone (GCTSC) which can induce osteoclast

formation of human blood monocytes without cell to cell contact, 979

Osteochondral
Prolonged-fresh preservation of intact whole canine femoral condyles for the potential use as osteochondral allografts, 831

Osteochondral defect
Effective repair of a fresh osteochondral defect in the rabbit knee joint by articulated joint distraction following subchondral drilling, 909

Osteochondral fracture
Enhanced concentration of COMP (cartilage oligomeric matrix protein) in osteochondral fractures from racing Thoroughbreds, 156

Osteochondrosis
Expression patterns of hedgehog signaling peptides in naturally acquired equine osteochondrosis, 1152

Osteoclast
Recruitment of osteoclast precursors by stromal cell derived factor-1 (SDF-1) in giant cell tumor of bone, 203

Osteoclastogenesis
Pulsed electromagnetic fields stimulation affects osteoclast formation by modulation of osteoprotegerin, RANK ligand and macrophage colony-stimulating factor, 1308
The effects of RANK blockade and osteoclast depletion in a model of pure osteoblastic prostate cancer metastasis in bone, 1475

Osteoclasts
Arthroplasty membrane-derived fibroblasts directly induce osteoclast formation and osteolysis in aseptic loosening, 511

Osteogenesis
Effect of low intensity pulsed ultrasound and BMP-2 on rat bone marrow stromal cell gene expression, 646

Osteogenic protein-1
Tendon reattachment to a metallic implant using an allogenic bone plate augmented with rhOP-1 vs. autogenous cancellous bone and marrow in a canine model, 1091
The effect of recombinant human osteogenic protein-1 on growth plate repair in a sheep model, 1336

Osteogenic sarcoma U-2 OS cell
Paclitaxel induces apoptosis via caspase-3 activation in human osteogenic sarcoma cells (U-2 OS), 988

Osteoinductivity
Effects of moisture and temperature on the osteoinductivity of demineralized bone matrix, 855

Osteolysis
Interleukin-1 modulates periprosthetic tissue formation in an intramedullary model of particle-induced inflammation, 501
Magnetic resonance imaging in the evaluation of periprosthetic acetabular osteolysis: A cadaveric study, 713
Polyethylene and titanium particles induce osteolysis by similar, lymphocyte-independent, mechanisms, 376
Polyethylene wear rate and osteolysis: critical threshold versus continuous dose–response relationship, 520
Simultaneous labeling of mast cell proteases and protease mRNAs at the bone–implant interface of aseptically loosened hip implants, 942
Sphingomyelinase mediates macrophage activation by titanium particles independent of phagocytosis: A role for free radicals, NFκB, and TNFα, 1258

Osteomyelitis
Early detection of bone infection and differentiation from post-surgical inflammation using 2-deoxy-2-[^{18}F]-fluoro-D-glucose positron emission tomography (FDG-PET) in an animal model, 1484
Infection resistance of unreamed solid, hollow slotted and cannulated intramedullary nails: an in-vivo experimental comparison, 810

Osteon
The effect of bone microstructure on the initiation and growth of microcracks, 475

Osteonecrosis
Cartilage degeneration in post-collapse cases of osteonecrosis of the human femoral head: Altered mechanical properties in tension, compression, and shear, 576
Zoledronic acid improves femoral head sphericity in a rat model of perthes disease, 862

Osteoprogenitor cell
The origin of osteoprogenitor cells responsible for heterotopic ossification following hip surgery: an animal model in the rabbit, 34

Osteosarcoma
Effective osteosarcoma cytolysis using cytokine-induced killer cells pre-inoculated with tumor RNA-pulsed dendritic cells, 1460
Gemcitabine inhibits viability, growth, and metastasis of osteosarcoma cell lines, 964

Osteotomy
A single systemic dose of pamidronate improves bone mineral content and accelerates restoration of strength in a rat model of fracture repair, 1029

Overuse
Evidence of tendon microtears due to cyclical loading in an in vivo tendinopathy model, 1199

p38 MAPK
p38 MAPK and COX2 inhibition modulate human chondrocyte response to TGF-β, 454

p53
Relationship of bone morphogenetic protein expression during osteoblast differentiation to wild type p53, 1345

p97
Identification and characterization of valosin-containing protein (VCP/p97) in untransformed osteoblast-like cells, 618

Paclitaxel
Paclitaxel induces apoptosis via caspase-3 activation in human osteogenic sarcoma cells (U-2 OS), 988

Pamidronate
Effect of pamidronate on bone turnover and implant migration after total hip arthroplasty: a randomized trial, 1

Parathyroid hormone
Stimulation of implant fixation by parathyroid hormone (1–34)—A histomorphometric comparison of PMMA cement and stainless steel, 1266

Partially demineralized bone matrix
Restoration of bone defect and enhancement of bone ingrowth using partially demineralized bone matrix and marrow stromal cells, 1293

Particulate wear debris
Chemokine IL-8 induction by particulate wear debris in osteoblasts is mediated by NF-κB, 1249

Patellar tendon
Movement of the posterior cruciate ligament during knee flexion—MRI analysis, 334

Patellofemoral
Cutaneous stimulation from patella tape causes a differential increase in vasti muscle activity in people with patellofemoral pain, 351

Patellofemoral joint
Patellofemoral joint contact area increases with knee flexion and weight-bearing, 345

Pathomechanism
Effect of acute nerve root compression on endoneurial fluid pressure and blood flow in rat dorsal root ganglia, 420

Pax-1
Molecular signaling in intervertebral disk development, 1112

PCR
Cell traffic between donor and recipient following rat limb allograft, 181

PDLLA
Biomechanical and allergological characteristics of a biodegradable poly(D,L-lactic acid) coating for orthopaedic implants, 802

Pediatric femoral fractures
A biomechanical study on flexible intramedullary nails used to treat pediatric femoral fractures, 1315

Pedicle screw
Increase of pullout strength of spinal pedicle screws with conical core: biomechanical tests and finite element analyses, 788

Pelvis
Contact pressures in the flexed hip joint during lateral trochanteric loading, 359

PEMF
Pulsed electromagnetic fields stimulation affects osteoclast formation by modulation of osteoprotegerin, RANK ligand and macrophage colony-stimulating factor, 1308

Peripheral nerve
Localization and changes of intraneural inflammatory cytokines and inducible-nitric oxide induced by mechanical compression, 771

Peripheral nerve morphology
Carpal tunnel pressure alters median nerve function in a dose-dependent manner: a rabbit model for carpal tunnel syndrome, 218

Peripheral nervous system
Increase in sensory neuropeptides surrounding the Achilles tendon in rats with adjuvant arthritis, 294

Periprosthetic membrane
Interleukin-1 modulates periprosthetic tissue formation in an intramedullary model of particle-induced inflammation, 501

Peroxisome proliferator activated receptors
Expression and activation of peroxisome proliferator-activated receptors in growth plate chondrocytes, 1139

Perthes disease
Zoledronic acid improves femoral head sphericity in a rat model of perthes disease, 862

Perturbation
Evidence for differential control of tibial position in perturbed unilateral stance after acute ACL rupture, 54

PHK 26
Systemic recruitment of osteoblastic cells in fracture healing, 1013

Photodynamic therapy
Photodynamic therapy for the treatment of vertebral metastases in a rat model of human breast carcinoma, 995

Physical function
Circulating and synovial levels of IGF-I, cytokines, physical function and anthropometry differ in women awaiting total knee arthroplasty when compared to men, 397

Physiological loading
Damage mechanisms and failure modes of cortical bone under components of physiological loading, 1047

Plantar fasciitis
Repetitive low-energy shock wave application without local anesthesia is more efficient than repetitive low-energy shock wave application with local anesthesia in the treatment of chronic plantar fasciitis, 931

Plastination
Histomorphology and microradiography of quadriceps tendon–patellar bone grafts in press-fit anterior cruciate ligament reconstruction, 1206

Platelets
Autologous preparations rich in growth factors promote proliferation and induce VEGF and HGF production by human tendon cells in culture, 281

Polyethylene
A new approach for the Martell 3-D method of measuring polyethylene wear without requiring the cross-table lateral films, 720
Polyethylene and titanium particles induce osteolysis by similar, lymphocyte-independent, mechanisms, 376

Polyethylene particles
Activation of NF-κB signalling and TNFα-expression in THP-1 macrophages by TiAlV- and polyethylene-wear particles, 1241

Polyethylene wear
Polyethylene wear rate and osteolysis: critical threshold versus continuous dose–response relationship, 520

Polymethylmethacrylate
Why would cement porosity reduction be clinically irrelevant, while experimental data show the contrary, 691

Porosity
Why would cement porosity reduction be clinically irrelevant, while experimental data show the contrary, 691

Porous metallic surface
Tendon reattachment to a metallic implant using an allogenic bone plate augmented with rhOP-1 vs. autogenous cancellous bone and marrow in a canine model, 1091

Positron emission tomography
Early detection of bone infection and differentiation from post-surgical inflammation using 2-deoxy-2-[^{18}F]-fluoro-D-glucose positron emission tomography (FDG-PET) in an animal model, 1484

Posterior cruciate ligament
Movement of the posterior cruciate ligament during knee flexion—MRI analysis, 334

PPAR
Expression and activation of peroxisome proliferator-activated receptors in growth plate chondrocytes, 1139

Precision
A new tibial coordinate system improves the precision of anterior–posterior knee laxity measurements: a cadaveric study using Roentgen stereophotogrammetric analysis, 327
Accuracy and precision of radiostereometric analysis in the measurement of three-dimensional micromotion in a fracture model of the distal radius, 481

Press-fit technique
Histomorphology and microradiography of quadriceps tendon–patellar bone grafts in press-fit anterior cruciate ligament reconstruction, 1206

Pressure distribution
Contact pressures in the flexed hip joint during lateral trochanteric loading, 359

Progenitor cells
Chondrogenic potential of progenitor cells derived from human bone marrow and adipose tissue: A patient-matched comparison, 1383

Proliferating cell nuclear antigen
Ultrasound stimulation of tendon cell proliferation and upregulation of proliferating cell nuclear antigen, 970

Propagation
The effect of bone microstructure on the initiation and growth of microcracks, 475

Proprioception
Differences in the presence of mechanoreceptors and nerve structures between wrist ligaments may imply differential roles in wrist stabilization, 757
Effects of experimentally-induced anterior knee pain on knee joint position sense in healthy individuals, 46

Prosthesis
Uncemented short-length diaphyseal segmental replacement prosthesis fixation—Finite element analysis and long-term results, 1065

Proteoglycan
Detection of changes in articular cartilage proteoglycan by $T_{1\rho}$ magnetic resonance imaging, 102

Proteoglycan 4 (PRG4)
Proteoglycan 4 (PRG4) synthesis and immunolocalization in bovine meniscus, 562

Proteoglycan aggrecan
Repeated intraarticular injections of triamcinolone acetonide alter cartilage matrix metabolism measured by biomarkers in synovial fluid, 602

Proteoglycans
Effect of selected wound antiseptics on adult articular cartilage (bovine sesamoid bone) in the presence of *Escherichia coli* and *Staphylococcus aureus*, 127

Proteomics
Identification and characterization of valosin-containing protein (VCP/p97) in untransformed osteoblast-like cells, 618

Pseudorabies virus
Mapping the rat somatosensory pathway from the anterior cruciate ligament nerve endings to the cerebrum, 1419

Pullout strength
Increase of pullout strength of spinal pedicle screws with conical core: biomechanical tests and finite element analyses, 788

Pullout test
Increase of pullout strength of spinal pedicle screws with conical core: biomechanical tests and finite element analyses, 788

Pulsed electromagnetic fields
Pulsed electromagnetic fields reduce knee osteoarthritic lesion progression in the aged Dunkin Hartley guinea pig, 899

Quadriceps
Age-related changes in electromyographic quadriceps activity during stair descent, 322
Tension in a double loop tendon anterior cruciate graft during a simulated open chain knee extension exercise, 77

Quadriceps tendon autograft
Histomorphology and microradiography of quadriceps tendon–patellar bone grafts in press-fit anterior cruciate ligament reconstruction, 1206

Quantitative bacteriology
Characterization of a chronic infection in an internally-stabilized segmental defect in the rat femur, 816

Quantitative real-time polymerase chain reaction
Gene expression profile of mechanically impacted bovine articular cartilage explants, 1146

Rabbit
A novel total knee arthroplasty infection model in rabbits, 1100
Apoptosis and nitric oxide in an experimental model of osteoarthritis in rabbit after hyaluronic acid treatment, 1370
Bone formation is enhanced by thrombin-related peptide TP508 during distraction osteogenesis, 196
Early detection of bone infection and differentiation from post-surgical inflammation using 2-deoxy-2-[^{18}F]-fluoro-D-glucose positron emission tomography (FDG-PET) in an animal model, 1484
Proposed model of botulinum toxin-induced muscle weakness in the rabbit, 1411
Rabbit knee joint biomechanics: Motion analysis and modeling of forces during hopping, 735

Rabbit model
Formation of a new enthesis after attachment of the supraspinatus tendon: A quantitative histologic study in rabbits, 1433

Racehorses
Enhanced concentration of COMP (cartilage oligomeric matrix protein) in osteochondral fractures from racing Thoroughbreds, 156

Radial head
The effect of radial head fracture size on elbow kinematics and stability, 210

Radiation therapy
The origin of osteoprogenitor cells responsible for heterotopic ossification following hip surgery: an animal model in the rabbit, 34

Radiograph
A new approach for the Martell 3-D method of measuring polyethylene wear without requiring the cross-table lateral films, 720

Radiographs
Magnetic resonance imaging in the evaluation of periprosthetic acetabular osteolysis: A cadaveric study, 713

Radiography
Time for treating bone fracture using rhBMP-2: A randomised placebo controlled mouse fracture trial, 625

Radiostereometric analysis
Accuracy and precision of radiostereometric analysis in the measurement of three-dimensional micromotion in a fracture model of the distal radius, 481

RANK ligand
The effects of RANK blockade and osteoclast depletion in a model of pure osteoblastic prostate cancer metastasis in bone, 1475

RANK:Fc protein
The effects of RANK blockade and osteoclast depletion in a model of pure osteoblastic prostate cancer metastasis in bone, 1475

RANKL
Pulsed electromagnetic fields stimulation affects osteoclast formation by modulation of osteoprotegerin, RANK ligand and macrophage colony-stimulating factor, 1308

Rat
Healing of the aponeurosis during recovery from aponeurotomy: morphological and histological adaptation and related changes in mechanical properties, 266
Intact fibula improves fracture healing in a rat tibia osteotomy model, 489
Mapping the rat somatosensory pathway from the anterior cruciate ligament nerve endings to the cerebrum, 1419
Photodynamic therapy for the treatment of vertebral metastases in a rat model of human breast carcinoma, 995

Rats
Acute effects of *N*-acetylcysteine on skeletal muscle microcirculation following closed soft tissue trauma in rats, 231
Effects of systemic and regional taurine on skeletal muscle function following ischaemia–reperfusion injury, 310
Stimulation of implant fixation by parathyroid hormone (1–34)—A histomorphometric comparison of PMMA cement and stainless steel, 1266

Rat-tail model
The effects of short-term load duration on anabolic and catabolic gene expression in the rat tail intervertebral disc, 1120

Reactive oxygen species
Activated protein C attenuates acute ischaemia reperfusion injury in skeletal muscle, 1454
Molecular mechanism of nitric oxide-induced osteoblast apoptosis, 462

Real-time RT-PCR
The effects of short-term load duration on anabolic and catabolic gene expression in the rat tail intervertebral disc, 1120

Rear impacts
Effect of trunk flexion on cervical muscle EMG to rear impacts, 1105

Receptor activator of NF:κB (RANK)
The effects of RANK blockade and osteoclast depletion in a model of pure osteoblastic prostate cancer metastasis in bone, 1475

Reformation of enthesis
Formation of a new enthesis after attachment of the supraspinatus tendon: A quantitative histologic study in rabbits, 1433

Regenerate axial stiffness
In vivo assessment of regenerate axial stiffness in distraction osteogenesis, 494

Regeneration
Healing of reamed glenoid bone articulating with a metal humeral hemiarthroplasty: a canine model, 18

Rehabilitation
Effect of elbow position on canine flexor digitorum profundus tendon tension, 249
Tension in a double loop tendon anterior cruciate graft during a simulated open chain knee extension exercise, 77

Reliability
An investigation to examine the inter-tester and intra-tester reliability of the Rolimeter® knee tester, and its sensitivity in identifying knee joint laxity, 1399
In vitro analysis of the cement mantle of femoral hip implants: development and validation of a CT-scan based measurement tool, 698

Remodeling
Cellular basis for age-related changes in fracture repair, 1300

Repair
Effective repair of a fresh osteochondral defect in the rabbit knee joint by articulated joint distraction following subchondral drilling, 909
Effects of age on the repair ability of mesenchymal stem cells in rabbit tendon, 287

Reperfusion injury
Effects of systemic and regional taurine on skeletal muscle function following ischaemia–reperfusion injury, 310

Resorption
Experimental studies on the effects of recombinant human matrix metalloprotei-

nases on herniated disc tissues—how to facilitate the natural resorption process of herniated discs, 412

Revision arthroplasty
Restoration of bone defect and enhancement of bone ingrowth using partially demineralized bone matrix and marrow stromal cells, 1293

rhBMP-2
rhBMP-2, rhVEGF$_{165}$, rhPTN and thrombin-related peptide, TP508 induce chemotaxis of human osteoblasts and microvascular endothelial cells, 680
Time for treating bone fracture using rhBMP-2: A randomised placebo controlled mouse fracture trial, 625

Rheumatoid arthritis
Anti-inflammatory effects of continuous passive motion on meniscal fibrocartilage, 1165

rhPTN
rhBMP-2, rhVEGF$_{165}$, rhPTN and thrombin-related peptide, TP508 induce chemotaxis of human osteoblasts and microvascular endothelial cells, 680

rhVEGF$_{165}$
rhBMP-2, rhVEGF$_{165}$, rhPTN and thrombin-related peptide, TP508 induce chemotaxis of human osteoblasts and microvascular endothelial cells, 680

Rodent degeneration model
Mechanical differences between lumbar and tail discs in the mouse, 150

Roentgen stereophotogrammetric analysis
A new tibial coordinate system improves the precision of anterior–posterior knee laxity measurements: a cadaveric study using Roentgen stereophotogrammetric analysis, 327

Rolimeter
An investigation to examine the inter-tester and intra-tester reliability of the Rolimeter® knee tester, and its sensitivity in identifying knee joint laxity, 1399

Rotator cuff
Asymmetric atrophy of the supraspinatus muscle following tendon tear, 254
Delayed repair of tendon to bone injuries leads to decreased biomechanical properties and bone loss, 1441
Inhomogeneous mechanical behavior of the human supraspinatus tendon under uniaxial loading, 924

RSA
Differences in stability and bone remodeling between a customized uncemented hydroxyapatite coated and a standard cemented femoral stem A randomized study with use of radiostereometry and bone densitometry, 1280

S. aureus
Effect of selected wound antiseptics on adult articular cartilage (bovine sesamoid bone) in the presence of *Escherichia coli* and *Staphylococcus aureus*, 127

Sagittal
Sagittal bowing of the distal femur in Chinese patients who require total knee arthroplasty, 41

Schwann cell
Shear stress alters the expression of myelin-associated glycoprotein (MAG) and myelin basic protein (MBP) in Schwann cells, 1232

Sciatica
Effect of acute nerve root compression on endoneurial fluid pressure and blood flow in rat dorsal root ganglia, 420

SDF-1
Recruitment of osteoclast precursors by stromal cell derived factor-1 (SDF-1) in giant cell tumor of bone, 203

Segmental bone defect
Characterization of a chronic infection in an internally-stabilized segmental defect in the rat femur, 816

Segmental bone replacement prosthesis
The effect of multidrug chemotherapy on bone graft augmented prosthesis fixation, 795

SEM
Free radical scavenging alleviates the biomechanical impairment of gamma radiation sterilized bone tissue, 838

Sensitivity
An investigation to examine the inter-tester and intra-tester reliability of the Rolimeter® knee tester, and its sensitivity in identifying knee joint laxity, 1399

Septic arthrosis
An adenosine A_{2A} receptor agonist reduces interleukin-8 expression and glycosaminoglycan loss following septic arthrosis, 1172

Serum
Serum levels of cobalt and chromium in patients with Sikomet metal–metal total hip replacements, 526

Shear
Viscoelastic properties of the human medial collateral ligament under longitudinal, transverse and shear loading, 67

Shear strength
Biomechanical and allergological characteristics of a biodegradable poly(D,L-lactic acid) coating for orthopaedic implants, 802

Shock wave treatment
Repetitive low-energy shock wave application without local anesthesia is more efficient than repetitive low-energy shock wave application with local anesthesia in the treatment of chronic plantar fasciitis, 931

Shoulder
Delayed repair of tendon to bone injuries leads to decreased biomechanical properties and bone loss, 1441
Rat supraspinatus muscle atrophy after tendon detachment, 259

Signaling mechanism
Chemokine IL-8 induction by particulate wear debris in osteoblasts is mediated by NF-κB, 1249

siRNA
RNAi mediated MMP-1 silencing inhibits human chondrosarcoma invasion, 1467

Skeletal muscle
Acute effects of *N*-acetylcysteine on skeletal muscle microcirculation following closed soft tissue trauma in rats, 231

Skin markers
On the influence of soft tissue coverage in the determination of bone kinematics using skin markers, 726

SNAP-25
Gene expression of nAChR, SNAP-25 and GAP-43 in skeletal muscles following botulinum toxin A injection: a study in rats, 302

Soluble RANKL
Cytological properties of stromal cells derived from giant cell tumor of bone (GCTSC) which can induce osteoclast formation of human blood monocytes without cell to cell contact, 979

Sox9
Intrajoint comparisons of gene expression patterns in human osteoarthritis suggest a change in chondrocyte phenotype, 1128

Spine
Molecular signaling in intervertebral disk development, 1112
Photodynamic therapy for the treatment of vertebral metastases in a rat model of human breast carcinoma, 995

Spine biomechanics
Mechanical differences between lumbar and tail discs in the mouse, 150

Sry
Cell traffic between donor and recipient following rat limb allograft, 181

Stability
Intact fibula improves fracture healing in a rat tibia osteotomy model, 489

Staphylococcus
Early detection of bone infection and differentiation from post-surgical inflammation using 2-deoxy-2-[^{18}F]-fluoro-D-glucose positron emission tomography (FDG-PET) in an animal model, 1484

Stem cell
Effects of age on the repair ability of mesenchymal stem cells in rabbit tendon, 287

Stem cells
Chondrogenic potential of progenitor cells derived from human bone marrow and adipose tissue: A patient-matched comparison, 1383

Sterilisation
The influence of bone allograft processing on osteoblast attachment and function, 846

Sterilization
Free radical scavenging alleviates the biomechanical impairment of gamma radiation sterilized bone tissue, 838
Sterilization by gamma radiation impairs the tensile fatigue life of cortical bone by two orders of magnitude, 1054

Storage modulus
Long-term ovariectomy decreases ovine compact bone viscoelasticity, 869

Strain
Neurophysiological and biomechanical characterization of goat cervical facet joint capsules, 779

Strain field
Inhomogeneous mechanical behavior of the human supraspinatus tendon under uniaxial loading, 924

Strength
Altered loading during walking and sit-to-stand is affected by quadriceps weakness after total knee arthroplasty, 1083

Stress shielding
Uncemented short-length diaphyseal segmental replacement prosthesis fixation—Finite element analysis and long-term results, 1065

Stromal cells
Effect of low intensity pulsed ultrasound and BMP-2 on rat bone marrow stromal cell gene expression, 646

Superficial zone protein
Proteoglycan 4 (PRG4) synthesis and immunolocalization in bovine meniscus, 562

Supraspinatus muscle
Rat supraspinatus muscle atrophy after tendon detachment, 259

Surgical reconstructions
The effect of ankle ligament damage and surgical reconstructions on the mechanics of the ankle and subtalar joints revealed by three-dimensional stress MRI, 743

Synovial tissue plasminogen–plasmin system
Hemoglobin stimulates the expression of matrix metalloproteinases, MMP-2 and MMP-9 by synovial cells: a possible cause of joint damage after intra-articular hemorrhage, 891

Synovium
Dual transduction of insulin-like growth factor-I and interleukin-1 receptor antagonist protein controls cartilage degradation in an osteoarthritic culture model, 118

$T_{1\rho}$
Detection of changes in articular cartilage proteoglycan by $T_{1\rho}$ magnetic resonance imaging, 102

Taping
Cutaneous stimulation from patella tape causes a differential increase in vasti muscle activity in people with patello-femoral pain, 351

Taurine
Effects of systemic and regional taurine on skeletal muscle function following ischaemia–reperfusion injury, 310

T-cell proliferation
Biomechanical and allergological characteristics of a biodegradable poly(D,L-lactic acid) coating for orthopaedic implants, 802

Temperature
Effects of moisture and temperature on the osteoinductivity of demineralized bone matrix, 855

Tendinopathy
Evidence of tendon microtears due to cyclical loading in an in vivo tendinopathy model, 1199

Tendon
Autologous preparations rich in growth factors promote proliferation and induce VEGF and HGF production by human tendon cells in culture, 281
Delayed repair of tendon to bone injuries leads to decreased biomechanical properties and bone loss, 1441
Effects of age on the repair ability of mesenchymal stem cells in rabbit tendon, 287
Evidence of tendon microtears due to cyclical loading in an in vivo tendinopathy model, 1199
Gliding resistance of the extensor pollicis brevis tendon and abductor pollicis longus tendon within the first dorsal compartment in fixed wrist positions, 243
Inhomogeneous mechanical behavior of the human supraspinatus tendon under uniaxial loading, 924
Rat supraspinatus muscle atrophy after tendon detachment, 259
Temporal expression of growth factors and matrix molecules in healing tendon lesions, 84
Ultrasound stimulation of tendon cell proliferation and upregulation of proliferating cell nuclear antigen, 970

Tendon cells
In vitro alterations in cytoskeletal tensional homeostasis control gene expression in tendon cells, 1211

Tendon insertion
Inhomogeneous mechanical behavior of the human supraspinatus tendon under uniaxial loading, 924

Tendon reattachment
Tendon reattachment to a metallic implant using an allogenic bone plate augmented with rhOP-1 vs. autogenous cancellous bone and marrow in a canine model, 1091

Tendon rupture
Asymmetric atrophy of the supraspinatus muscle following tendon tear, 254

Tendon tension
Effect of elbow position on canine flexor digitorum profundus tendon tension, 249

Tendon–bone healing
Macrophages accumulate in the early phase of tendon–bone healing, 1425

Tenosynovium
Immunolocalization of collagen types in the subsynovial connective tissue within the carpal tunnel in humans, 1226

Tensile properties
Inhomogeneous mechanical behavior of the human supraspinatus tendon under uniaxial loading, 924
Tensile properties of the human acetabular labrum—the first report, 1448

TGF-β
p38 MAPK and COX2 inhibition modulate human chondrocyte response to TGF-β, 454

TGF-β1
Temporal expression of growth factors and matrix molecules in healing tendon lesions, 84
Type I and II collagen regulation of chondrogenic differentiation by mesenchymal progenitor cells, 446

Thiourea
Free radical scavenging alleviates the biomechanical impairment of gamma radiation sterilized bone tissue, 838

THR
Differences in stability and bone remodeling between a customized uncemented hydroxyapatite coated and a standard cemented femoral stem A randomized study with use of radiostereometry and bone densitometry, 1280

Three-dimensional
Heterogeneous three-dimensional strain fields during unconfined cyclic compression in bovine articular cartilage explants, 1390
In vivo three-dimensional wrist motion analysis using magnetic resonance imaging and volume-based registration, 750

Three-dimensional computed tomography
Three-dimensional computed tomography of the hip in the assessment of femoroacetabular impingement, 1286

Thrombin-related peptide
Bone formation is enhanced by thrombin-related peptide TP508 during distraction osteogenesis, 196

Thyroid hormone
Expression and activation of peroxisome proliferator-activated receptors in growth plate chondrocytes, 1139

Tibia
Intact fibula improves fracture healing in a rat tibia osteotomy model, 489

Tibial component inclination
Three-dimensional finite element analysis of unicompartmental knee arthroplasty—the influence of tibial component inclination, 549

Tibial plateau
Spatially-localized correlation of dGEMRIC-measured GAG distribution and mechanical stiffness in the human tibial plateau, 93

Tibial translation
An investigation to examine the inter-tester and intra-tester reliability of the Rolimeter® knee tester, and its sensitivity in identifying knee joint laxity, 1399

Tissue engineering
A layered agarose approach to fabricate depth-dependent inhomogeneity in chondrocyte-seeded constructs, 134
Aged bovine chondrocytes display a diminished capacity to produce a collagen-rich, mechanically functional cartilage extracellular matrix, 1354

Tissue remodeling
Differential MMP-2 activity of ligament cells under mechanical stretch injury: An in vitro study on human ACL and MCL fibroblasts, 949

Titanium
Chemokine IL-8 induction by particulate wear debris in osteoblasts is mediated by NF-κB, 1249
Lymphocyte responses in patients with total hip arthroplasty, 384
Polyethylene and titanium particles induce osteolysis by similar, lymphocyte-independent, mechanisms, 376
Sphingomyelinase mediates macrophage activation by titanium particles independent of phagocytosis: A role for free radicals, NFκB, and TNFα, 1258

Titanium particles
Activation of NF-κB signalling and TNFα-expression in THP-1 macrophages by TiAlV- and polyethylene-wear particles, 1241

TKA
Circulating and synovial levels of IGF-I, cytokines, physical function and anthropometry differ in women awaiting total knee arthroplasty when compared to men, 397

TNF
Activation of NF-κB signalling and TNFα-expression in THP-1 macrophages by TiAlV- and polyethylene-wear particles, 1241

Torsional rigidity
Intact fibula improves fracture healing in a rat tibia osteotomy model, 489

Total hip arthroplasty
Effect of pamidronate on bone turnover and implant migration after total hip arthroplasty: a randomized trial, 1
Lymphocyte responses in patients with total hip arthroplasty, 384
Polyethylene wear rate and osteolysis: critical threshold versus continuous dose–response relationship, 520
Why would cement porosity reduction be clinically irrelevant, while experimental data show the contrary, 691

Total hip replacement
A new approach for the Martell 3-D method of measuring polyethylene wear without requiring the cross-table lateral films, 720

Total knee arthroplasty
An articulated antibiotic spacer used for infected total knee arthroplasty: a comparative in vitro elution study of Simplex® and Palacos® bone cements, 27

Total knee replacement
Altered loading during walking and sit-to-stand is affected by quadriceps weakness after total knee arthroplasty, 1083

Tourniquet
Endothelin-1 is secreted after total knee arthroplasty regardless of the use of a tourniquet, 392

TP508
Bone formation is enhanced by thrombin-related peptide TP508 during distraction osteogenesis, 196
rhBMP-2, rhVEGF$_{165}$, rhPTN and thrombin-related peptide, TP508 induce chemotaxis of human osteoblasts and microvascular endothelial cells, 680
Thrombin peptide (TP508) promotes fracture repair by up-regulating inflammatory mediators, early growth factors, and increasing angiogenesis, 671

Transmission electron microscopy (TEM)
Immunolocalization of collagen types in the subsynovial connective tissue within the carpal tunnel in humans, 1226

Transplantation
The influence of bone allograft processing on osteoblast attachment and function, 846

Trauma
Acute effects of *N*-acetylcysteine on skeletal muscle microcirculation following closed soft tissue trauma in rats, 231

Triamcinolone
Repeated intraarticular injections of triamcinolone acetonide alter cartilage matrix metabolism measured by biomarkers in synovial fluid, 602

Tumor
Uncemented short-length diaphyseal segmental replacement prosthesis fixation—Finite element analysis and long-term results, 1065

Type I collagen
Spatial organization of types I and II collagen in the canine meniscus, 142

Type II collagen
Spatial organization of types I and II collagen in the canine meniscus, 142

Ultra-high molecular weight polyethylene
Molecular chain stretch is a multiaxial failure criterion for conventional and highly crosslinked UHMWPE, 367

Ultrasound
Effect of low intensity pulsed ultrasound and BMP-2 on rat bone marrow stromal cell gene expression, 646
Novel ultrasonic evaluation of tissue-engineered cartilage for large osteochondral defects—non-invasive judgment of tissue-engineered cartilage, 1179
Ultrasound stimulation of tendon cell proliferation and upregulation of proliferating cell nuclear antigen, 970

Unconfined compression
Heterogeneous three-dimensional strain fields during unconfined cyclic compression in bovine articular cartilage explants, 1390

Unicameral bone cyst
Zoledronate induces apoptosis in cells from fibro-cellular membrane of unicameral bone cyst (UBC), 1004

Unicompartmental knee arthroplasty
Three-dimensional finite element analysis of unicompartmental knee arthroplasty—the influence of tibial component inclination, 549

Unique
Differences in stability and bone remodeling between a customized uncemented hydroxyapatite coated and a standard cemented femoral stem A randomized study with use of radiostereometry and bone densitometry, 1280

Validity
In vitro analysis of the cement mantle of femoral hip implants: development and validation of a CT-scan based measurement tool, 698

Valosin-containing protein
Identification and characterization of valosin-containing protein (VCP/p97) in untransformed osteoblast-like cells, 618

Vascular endothelial growth factor
Vascular endothelial growth factor (VEGF) gene transfer enhances surgical revascularization of necrotic bone, 469

Vascularized bone graft
Evolution of an in vivo bioreactor, 916

Vastus medialis obliquus
Cutaneous stimulation from patella tape causes a differential increase in vasti muscle activity in people with patello-femoral pain, 351

Vertebral metastases
Photodynamic therapy for the treatment of vertebral metastases in a rat model of human breast carcinoma, 995

Vertical talus
Variable hand and foot abnormalities in family with congenital vertical talus and CDMP-1 gene mutation, 1490

Viscoelasticity
Long-term ovariectomy decreases ovine compact bone viscoelasticity, 869
Viscoelastic properties of the human medial collateral ligament under longitudinal, transverse and shear loading, 67

Viscosupplementation
Apoptosis and nitric oxide in an experimental model of osteoarthritis in rabbit after hyaluronic acid treatment, 1370

Volume-based registration
In vivo three-dimensional wrist motion analysis using magnetic resonance imaging and volume-based registration, 750

Wallerian degeneration
Localization and changes of intraneural inflammatory cytokines and inducible-nitric oxide induced by mechanical compression, 771

Wavelet transformation
Novel ultrasonic evaluation of tissue-engineered cartilage for large osteochondral defects—non-invasive judgment of tissue-engineered cartilage, 1179

Wear
A new approach for the Martell 3-D method of measuring polyethylene wear without requiring the cross-table lateral films, 720

Wear debris
Sphingomyelinase mediates macrophage activation by titanium particles independent of phagocytosis: A role for free radicals, NFκB, and TNFα, 1258

Wear-debris
Interleukin-1 modulates periprosthetic tissue formation in an intramedullary model of particle-induced inflammation, 501

Weight bearing area
Effective repair of a fresh osteochondral defect in the rabbit knee joint by articulated joint distraction following subchondral drilling, 909

Whiplash
Neurophysiological and biomechanical characterization of goat cervical facet joint capsules, 779

Whiplash injury
Effect of trunk flexion on cervical muscle EMG to rear impacts, 1105
Turning away from whiplash. An EMG study of head rotation in whiplash impact, 224

Wound antiseptic
Effect of selected wound antiseptics on adult articular cartilage (bovine sesamoid bone) in the presence of *Escherichia coli* and *Staphylococcus aureus*, 127

Wrist
Differences in the presence of mechano-receptors and nerve structures between wrist ligaments may imply differential roles in wrist stabilization, 757

Wrist kinematics
In vivo three-dimensional wrist motion analysis using magnetic resonance imaging and volume-based registration, 750

Zones
Rapid phenotypic changes in passaged articular chondrocyte subpopulations, 425

Zymography
Differential MMP-2 activity of ligament cells under mechanical stretch injury: An in vitro study on human ACL and MCL fibroblasts, 949